

**McDONALD ARMY HEALTH CENTER
OUTPATIENT FORMULARY
Alphabetical Listing by Name**

This document is current as of February 24, 2022.
The availability of formulary items is subject to change.

McDonald Army Health Center Outpatient Formulary

Alphabetical Drug Listing	Available Dosage Forms	Tri-Services Dosage Forms
Acetaminophen	Caplet, Oral: Tylenol: 325 mg (50s, 1000s) Suspension, Oral: Generic: 160 mg/5 mL (120 mL) [dye free, ethanol free; contains propylene glycol, sodium benzoate] Suppository, Rectal: Generic: 120 mg (12s); 650 mg (12s) Tablet, Oral: Mapap Extra Strength: 500 mg [scored] Tablet, Chewable, Oral: Generic: 80 mg	Suspension, Oral: Generic: 160 mg/5 mL Tablet, Oral: Generic: 325 mg, 500 mg
Acetaminophen and Codeine	Solution, Oral [C-V]: Generic: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (473 mL) [BCF] Tablet, Oral [C-III]: Generic: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]	Solution, Oral [C-V]: Generic: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (473 mL) [BCF] Tablet, Oral [C-III]: Generic: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]
AcetaZOLAMIDE	Capsule, Extended Release, Oral: Diamox Sequels: 500 mg	Capsule, Extended Release, Oral: Diamox Sequels: 500 mg
Acetic Acid and Hydrocortisone	Solution, Otic [drops]: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL)	Solution, Otic [drops]: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL)
Acetic Acid (Otic)	Solution, Otic [drops]: Generic: 2% (15 mL, 60 mL)	
Acyclovir (Systemic)	Capsule, Oral: Generic: 200 mg [BCF] Tablet, Oral: Generic: 400 mg [BCF], 800 mg [BCF]	Capsule, Oral: Generic: 200 mg [BCF] Tablet, Oral: Generic: 400 mg [BCF], 800 mg [BCF]
Adalimumab	Pen-injector Kit, Subcutaneous [preservative free]: Humira Pen: 40 mg/0.8 mL (1 ea) [contains polysorbate 80] [BCF] Prefilled Syringe Kit, Subcutaneous [preservative free]: Humira: 40 mg/0.8 mL (1 ea) [BCF] [contains polysorbate 80]	Pen-injector Kit, Subcutaneous [preservative free]: Humira Pen: 40 mg/0.8 mL (1 ea) [contains polysorbate 80]
Adapalene	Cream, External: Generic: 0.1% (45 g)	
Albendazole	Tablet, Oral: Albenza: 200 mg [contains saccharin sodium]	Tablet, Oral: Albenza: 200 mg [contains saccharin sodium]
Albuterol	Aerosol Solution, Inhalation: ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF] Nebulization Solution, Inhalation [preservative free]: Generic: 0.083% [2.5 mg/3 mL] (25s, 60s) [BCF] Syrup, Oral: Generic: 2 mg/5 mL (473 mL) Tablet, Oral: Generic: 2 mg	Aerosol Solution, Inhalation: ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF] Nebulization Solution, Inhalation: Generic: 0.083% [2.5 mg/3 mL] (25s, 60s) [BCF]

McDonald Army Health Center Outpatient Formulary

Alcohol (Isopropyl)	Pads: BD Swab Single Use Regular Pad (100s)	Pads: BD Swab Single Use Regular Pad (100s)
Alendronate	Tablet, Oral: Generic: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]	Tablet, Oral: Generic: 35 mg [BCF], 70 mg [BCF]
Alfuzosin	Tablet, Extended Release, Oral, as hydrochloride: Generic: 10 mg [BCF]	Tablet, Extended Release, Oral, as hydrochloride: Generic: 10 mg [BCF]
Allopurinol	Tablet, Oral: Generic: 100 mg [BCF], 300 mg [BCF]	Tablet, Oral: Generic: 100 mg [BCF], 300 mg [BCF]
ALPRAZolam	Tablet, Oral: Generic: 0.25 mg, 0.5 mg, 1 mg	Tablet, Oral: Generic: 0.25 mg, 0.5 mg, 1 mg
Aluminum Acetate	Packet, External Domeboro: Aluminum sulfate tetradecahydrate 1347 mg and calcium acetate monohydrate 952 mg per packet (100s)	
Aluminum Chloride Hexahydrate	Solution, External: Drysol Dab-O-Matic: 20% (35 mL) [contains ethanol 93%]	Solution, External: Drysol Dab-O-Matic: 20% (35 mL) [contains ethanol 93%]
Aluminum Hydroxide and Magnesium Carbonate	Liquid, Oral: Acid Gone: Aluminum hydroxide 31.7 mg and magnesium carbonate 119.3 mg per 5 mL (360 mL) [spearmint flavor]	
Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	Suspension, Oral: Mi-Acid Maximum Strength: Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (360 mL) Tablet, Chewable, Oral: Almacone: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 25 mg [dye free; contains magnesium 82 mg/tablet; peppermint flavor]	
Amantadine	Capsule, Oral, as hydrochloride: Generic: 100 mg [BCF] Solution, Oral, as hydrochloride: Generic: 50 mg/5 mL (473 mL) [BCF]	
Amiodarone	Tablet, Oral, as hydrochloride: Generic: 200 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 200 mg [BCF]
Amitriptyline	Tablet, Oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
AmLODIPine	Tablet, Oral: Generic: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]	Tablet, Oral: Generic: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

McDonald Army Health Center Outpatient Formulary

Amlodipine and Benazepril	Capsule, Oral: Lotrel: 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF] Lotrel: 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF] Lotrel: 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF] Lotrel: 5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF] Lotrel: 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF] Lotrel: 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]	Capsule, Oral: Lotrel: 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF] Lotrel: 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF] Lotrel: 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF] Lotrel: 5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF] Lotrel: 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF] Lotrel: 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]
Amoxicillin	Capsule, Oral: Generic: 250 mg [BCF], 500 mg [BCF] Suspension Reconstituted, Oral: Generic: 125 mg/5 mL; 250 mg/5 mL (100 mL, 150 mL) [BCF]; 400 mg/5 mL (100 mL) [BCF] Tablet, Oral: Generic: 875 mg Tablet, Chewable, Oral: Generic: 250 mg	Capsule, Oral: Generic: 250 mg [BCF], 500 mg [BCF] Suspension Reconstituted, Oral: Generic: 125 mg/5 mL; 250 mg/5 mL (150 mL) [BCF]; 400 mg/5 mL (100 mL) [BCF] Tablet, Oral: Generic: 875 mg Tablet, Chewable, Oral: Generic: 250 mg
Amoxicillin and Clavulanate	Suspension Reconstituted, Oral: Generic: 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (75 mL, 100 mL, 150 mL) [BCF] 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF] 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [BCF] Tablet, Oral: Generic: 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF] 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF] Tablet, Extended Release, Oral: Generic: Amoxicillin 1000 mg and clavulanate acid 62.5 mg	Suspension Reconstituted, Oral: Generic: 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (75 mL, 100 mL, 150 mL) [BCF] 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [BCF] Tablet, Oral: Generic: 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF] 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF] Tablet, Extended Release, Oral: Generic: Amoxicillin 1000 mg and clavulanate acid 62.5 mg
Ampicillin	Capsule, Oral: Generic: 500 mg	
Anastrozole	Tablet, Oral: Generic: 1 mg	
Apixaban	Tablet, Oral: Eliquis: 2.5 mg, 5 mg	
Aprepitant	Capsule, Oral: Emend Trifold Pack: 80 mg & 125 mg	Capsule, Oral: Emend Trifold Pack: 80 mg & 125 mg
ARIPiprazole	Tablet, Oral: Generic: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg	Tablet, Oral: Generic: 2 mg, 5 mg, 10 mg, 15 mg

McDonald Army Health Center Outpatient Formulary

Artificial Tears	Ointment, Ophthalmic: Refresh P.M.: 3.5 g Solution, Ophthalmic: Systane Ultra: Polyethylene glycol 400 0.4% and propylene glycol 0.3% (10 mL)	
Ascorbic Acid	Tablet, Oral: Generic: 500 mg	Tablet, Oral: Generic: 500 mg
Aspirin	Tablet, Oral: Generic: 325 mg Tablet, Chewable, Oral: Generic: 81 mg Tablet, Enteric Coated, Oral: Generic: 81 mg, 325 mg	Tablet, Oral: Generic: 325 mg Tablet, Chewable, Oral: Generic: 81 mg Tablet, Enteric Coated, Oral: Generic: 81 mg, 325 mg
Aspirin and Dipyridamole	Capsule, Variable Release, Oral: Aggrenox: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release]	Capsule, Variable Release, Oral: Aggrenox: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release]
Atenolol	Tablet, Oral: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]	Tablet, Oral: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
AtoMOXetine	Capsule, Oral: Strattera: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg, 100 mg	Capsule, Oral: Strattera: 18 mg, 25 mg, 40 mg, 60 mg
AtorvaSTATin	Tablet, Oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]	Tablet, Oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Atovaquone and Proguanil	Tablet, Oral: Generic: Atovaquone 250 mg and proguanil hydrochloride 100 mg	Tablet, Oral: Generic: Atovaquone 250 mg and proguanil hydrochloride 100 mg
Atropine (Ophthalmic)	Ointment, Ophthalmic, as sulfate: Generic: 1% (3.5 g) Solution, Ophthalmic, as sulfate [drops]: Atropine Care: 1% (5 mL) [contains benzalkonium chloride]	
AzaTHIOprine	Tablet, Oral: Generic: 50 mg	Tablet, Oral: Generic: 50 mg
Azelaic Acid	Gel, External: Finacea: 15% (50 g) [contains benzoic acid]	Gel, External: Finacea: 15% (50 g) [contains benzoic acid]
Azelastine (Nasal)	Solution, Nasal, as hydrochloride [spray]: Generic: 0.1% (30 mL)	Solution, Nasal, as hydrochloride [spray]: Generic: 0.1% (30 mL)
Azithromycin (Ophthalmic)	Solution, Ophthalmic: AzaSite: 1% (2.5 mL) [contains benzalkonium chloride, disodium edta]	
Azithromycin (Systemic)	Packet, Oral, as dihydrate [strength expressed as base]: Generic: 1 g [BCF] Suspension Reconstituted, Oral: Generic: 100 mg/5 mL (15 mL); 200 mg/5 mL (15 mL, 22.5 mL, 30 mL) Tablet, Oral, as monohydrate [strength expressed as base]: Generic: 250 mg [BCF], 500 mg [BCF]	Packet, Oral, as dihydrate [strength expressed as base]: Generic: 1 g (3 ea, 10 ea) [BCF] Suspension Reconstituted, Oral: Generic: 100 mg/5 mL (15 mL); 200 mg/5 mL (15 mL, 22.5 mL, 30 mL) Tablet, Oral, as monohydrate [strength expressed as base]: Generic: 250 mg [BCF], 500 mg [BCF]
Bacitracin and Polymyxin B (Ophthalmic)	This medication is nonformulary. For formulary alternatives, refer to Therapeutic Category.	

McDonald Army Health Center Outpatient Formulary

Bacitracin and Polymyxin B (Topical)	This medication is nonformulary. For formulary alternatives, refer to Therapeutic Category.	
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	Ointment, Ophthalmic: Generic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]	
Bacitracin, Neomycin, and Polymyxin B (Topical)	Ointment, External: Triple Antibiotic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 5000 units per g (15 g)	Ointment, Topical: Generic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 5000 units per g (15 g)
Bacitracin (Topical)	Ointment, External, as zinc [strength expressed as base]: Generic: 500 units/g (30 g)	Ointment, External, as zinc [strength expressed as base]: Generic: 500 units/g (30 g)
Baclofen	Tablet, Oral: Generic: 10 mg	Tablet, Oral: Generic: 10 mg
Baloxavir Marboxil	Tablet Therapy Pack, Oral: Xofluza: 2 x 20 MG (2 ea); 2 x 40 MG (2 ea)	
Benazepril	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 20 mg, 40 mg	
Benzocaine	Lozenge, Mouth/Throat: Cepacol Sore Throat Max Numb: 15 mg (16 ea)	
Benzonatate	Capsule, Softgel, Oral: Generic: 100 mg	Capsule, Softgel, Oral: Generic: 100 mg
Benzoyl Peroxide	Gel, External: Generic: 5% (60 g); 10% (60 g) Liquid, Wash, External: Generic: 5% (150 mL); 10% (150 mL)	Gel, External: Generic: 5% (60 g); 10% (60 g) Liquid, External: Benzoyl Peroxide Wash: 10% (150 mL)
Benztropine	Tablet, Oral, as mesylate: Generic: 1 mg [BCF], 2 mg [BCF]	Tablet, Oral, as mesylate: Generic: 1 mg [BCF], 2 mg [BCF]
Bepotastine	This medication is nonformulary. For formulary alternatives, refer to Therapeutic Category.	
Betamethasone and Clotrimazole	Cream, External: Generic: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (15 g, 45 g)	Cream, External: Generic: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (15 g, 45 g)
Betamethasone (Topical)	Cream, External, as valerate [strength expressed as base]: Generic: 0.1% (15 g, 45 g) Foam, External, as valerate: Generic 0.12% (100 g) [Restricted to Dermatology] Lotion, External, as valerate [strength expressed as base]: Generic: 0.1% (60 mL) Ointment, topical, as dipropionate [strength expressed as base]: Generic: 0.05% (45 g) Ointment, External, as valerate [strength expressed as base]: Generic: 0.1% (15 g)	Cream, External, as valerate [strength expressed as base]: Generic: 0.1% (15 g, 45 g) Lotion, External, as valerate [strength expressed as base]: Generic: 0.1% (60 mL) Ointment, External, as valerate [strength expressed as base]: Generic: 0.1% (15 g)

McDonald Army Health Center Outpatient Formulary

Betaxolol (Ophthalmic)	Solution, Ophthalmic [drops]: Generic: 0.5% (5 mL) [contains benzalkonium chloride] Suspension, Ophthalmic [drops]: Betoptic S: 0.25% (10 mL) [contains benzalkonium chloride]	
Bethanechol	Tablet, Oral, as chloride: Generic: 25 mg	
Bicalutamide	Tablet, Oral: Generic: 50 mg [BCF]	Tablet, Oral: Generic: 50 mg [BCF]
Bimatoprost	Solution, Ophthalmic: Lumigan: 0.01% (5 mL)	Solution, Ophthalmic: Lumigan: 0.01% (5 mL)
Bisacodyl	Suppository, Rectal: Generic: 10 mg Tablet Delayed Release, Oral: Generic: 5 mg	Suppository, Rectal: Generic: 10 mg Tablet Delayed Release, Oral: Generic: 5 mg
Bismuth Subsalicylate	Liquid, Oral, as subsalicylate: Bismatrol: 262 mg/15 mL (240 mL) Tablet, Chewable, Oral, as subsalicylate: Peptic Relief: 262 mg (30s)	Liquid, Oral, as subsalicylate: Bismatrol: 262 mg/15 mL (240 mL) Tablet, Chewable, Oral, as subsalicylate: Peptic Relief: 262 mg (30s)
Brimonidine and Timolol	Solution, Ophthalmic [drops]: Combigan: Brimonidine tartrate 0.2% and timolol 0.5% (5 mL) [contains benzalkonium chloride]	
Brimonidine (Ophthalmic)	Solution, Ophthalmic, as tartrate [drops]: Alphagan P: 0.15% (5 mL) [contains Purite] [BCF]	Solution, Ophthalmic, as tartrate [drops]: Generic: 0.15% (5 mL) [BCF]
Budesonide (Nasal)	Suspension, Nasal: Generic: 32 mcg/actuation (8.43 mL)	
Budesonide (Oral Inhalation)	Suspension, for Nebulization: Generic: 0.25 mg/2 mL (30s); 0.5 mg/2 mL (30s); 1 mg/2 mL (2 mL)	Suspension, for Nebulization: Generic: 0.25 mg/2 mL (2 mL); 0.5 mg/2 mL (2 mL)
Bumetanide	Tablet, Oral: Generic: 1 mg, 2 mg	Tablet, Oral: Generic: 1 mg, 2 mg
BuPROPion	Tablet, Oral, as hydrochloride: Generic: 75 mg [BCF], 100 mg [BCF] Tablet, Extended Release 12 Hour, Oral, as hydrochloride: Wellbutrin SR: 150 mg [BCF] Generic: 100 mg [BCF], 200 mg Tablet, Extended Release 24 Hour, Oral, as hydrochloride: Generic: 150 mg [BCF], 300 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 75 mg [BCF] Tablet, Extended Release 12 Hour, Oral, as hydrochloride: Generic: 100 mg [BCF], 150 mg [BCF], 200 mg Tablet, Extended Release 24 Hour, Oral, as hydrochloride: Generic: 150 mg [BCF], 300 mg [BCF]
BusPIRone	Tablet, Oral, as hydrochloride: Generic: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]
Butalbital, Acetaminophen, and Caffeine	Tablet, Oral: Generic: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]	Tablet, Oral: Generic: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]
Butenafine	Cream, External, as hydrochloride: Generic: 1% (30 g)	
Calamine	Suspension, External: Zinc oxide 8% and phenol 1% (180 mL)	

McDonald Army Health Center Outpatient Formulary

Calcipotriene	Cream, External: Dovonex: 0.005% (60 g) Solution, External: Dovonex 0.005% (60 mL)	
Calcitriol (Systemic)	Capsule, Softgel, Oral: Generic: 0.25 mcg, 0.5 mcg	Capsule, Softgel, Oral: Generic: 0.25 mcg, 0.5 mcg
Calcium and Vitamin D	Tablet, Oral: Generic: Calcium 600 mg and vitamin D 400 units	Tablet, Oral: Generic: Calcium 600 mg and vitamin D 400 units
Calcium Carbonate	Tablet, Oral: Generic: 500 mg	Tablet, Oral: Generic: 500 mg
Camphor and Menthol	Lotion, External: Men-phor: Camphor 0.5% and menthol 0.5% (225 mL)	
Capsaicin	Cream, External: Trixaicin: 0.025% (60 g) [contains benzyl alcohol]	
Captopril	Tablet, Oral: Generic: 12.5 mg [BCF], 25 mg [BCF], 50 mg [BCF]	
CarBAMazepine	Suspension, Oral: Generic: 100 mg/5 mL (450 mL) [BCF] Tablet, Oral: Generic: 200 mg [BCF] Tablet, Chewable, Oral: Generic: 100 mg [BCF]	Tablet, Oral: Generic: 200 mg [BCF]
Carbamide Peroxide	Solution, Otic [drops]: Generic: 6.5% (15 mL)	Solution, Otic [drops]: Generic: 6.5% (15 mL)
Carbidopa and Levodopa	Tablet, Oral: Generic: 10/100: Carbidopa 10 mg and levodopa 100 mg [BCF] 25/100: Carbidopa 25 mg and levodopa 100 mg [BCF] 25/250: Carbidopa 25 mg and levodopa 250 mg [BCF] Tablet, Extended Release, Oral: Generic: 50/200: Carbidopa 50 mg and levodopa 200 mg	Tablet, Oral: Generic: 25/100: Carbidopa 25 mg and levodopa 100 mg [BCF]
Carboxymethylcellulose	Solution, Ophthalmic, as sodium: Refresh Optive: 0.5% (15 mL) Solution, Ophthalmic, as sodium [preservative free]: Refresh Celluvisc: 1% (30 ea) Refresh Plus: 0.5% (30 ea)	Solution, Ophthalmic, as sodium: Refresh Optive: 0.5% (15 mL) Solution, Ophthalmic, as sodium [preservative free]: Refresh Celluvisc: 1% (30 ea) Refresh Plus: 0.5% (30 ea)
Carvedilol	Capsule Extended Release 24 Hour, Oral, as phosphate: Coreg CR: 10 mg, 20 mg, 40 mg, 80 mg Tablet, Oral: Generic: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]	Capsule Extended Release 24 Hour, Oral, as phosphate: Coreg CR: 10 mg, 20 mg, 40 mg, 80 mg Tablet, Oral: Generic: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]
Cefadroxil	Suspension Reconstituted, Oral: Generic: 250 mg/5 mL (100 mL); 500 mg/5 mL (100 mL)	

McDonald Army Health Center Outpatient Formulary

Cefdinir	Capsule, Oral: Generic: 300 mg Powder for Suspension, Oral: Generic: 125 mg/5 mL (60 mL, 100 mL); 250 mg/5 mL (60 mL, 100 mL)	Capsule, Oral: Generic: 300 mg Powder for Suspension, Oral: Generic: 125 mg/5 mL (60 mL, 100 mL); 250 mg/5 mL (60 mL, 100 mL)
Cefixime	Powder for Suspension, Oral, as trihydrate: Generic: 100 mg/5 mL (100 mL)	Powder for Suspension, Oral, as trihydrate: Generic: 100 mg/5 mL (100 mL)
Cefprozil	Suspension Reconstituted, Oral: Generic: 250 mg/5 mL (100 mL)	
Cefuroxime	Tablet, Oral, as axetil [strength expressed as base]: Generic: 250 mg, 500 mg	
Celecoxib	Capsule, Oral: Generic: 100 mg, 200 mg	Capsule, Oral: Generic: 100 mg, 200 mg
Cephalexin	Capsule, oral: Generic: 250 mg [BCF], 500 mg [BCF] Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL) [BCF]	Capsule, Oral: Generic: 250 mg [BCF], 500 mg [BCF] Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL) [BCF]
Cetirizine (Systemic)	Solution, Oral, as hydrochloride: Generic: 5 mg/5 mL (118 mL) Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg	Solution, Oral, as hydrochloride: Generic: 5 mg/5 mL (118 mL) Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg
Chlorhexidine Gluconate (Oral)	Solution, Mouth/Throat: Generic: 0.12% (480 mL) [BCF]	Solution, Mouth/Throat: Generic: 0.12% (480 mL) [BCF]
Chlorhexidine Gluconate (Topical)	Liquid, External: Generic: 4% (240 mL)	Liquid, External: Generic: 4% (240 mL)
Chloroquine	Tablet, Oral, as phosphate: Aralen: 500 mg [equivalent to chloroquine base 300 mg]	
Chlorpheniramine	Syrup, Oral, as maleate: Aller-chlor: 2 mg/5 mL (118 mL) [contains ethanol 5%, menthol, propylene glycol; cherry flavor] Tablet, Oral, as maleate: Aller-chlor: 4 mg (24s) [scored]	Tablet, Oral, as maleate: Generic: 4 mg (24s)
Chlorthalidone	Tablet, Oral: Generic: 25 mg [BCF]	Tablet, Oral: Generic: 25 mg [BCF]
Chlorzoxazone	Tablet, Oral: Generic: 500 mg	Tablet, Oral: Generic: 500 mg
Cholecalciferol	Capsule, Oral [preservative free]: Generic: 5000 units Liquid, Oral: Generic: 400 units/mL (50 mL) Tablet, Oral: Generic: 1000 units	Liquid, Oral: Generic: 400 units/mL (50 mL) Tablet, Oral: Generic: 1000 units
Cholestyramine Resin	Powder, Oral: Prevalite: 4 g/dose (231 g) [contains aspartame; orange flavor]	Powder, Oral: Prevalite: 4 g/dose (231 g) [contains aspartame; orange flavor]
Ciclopirox	Solution, External: Generic: 8% (6.6 mL)	
Ciprofloxacin and Dexamethasone	Suspension, Otic: Ciprodex: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]	Suspension, Otic: Ciprodex: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]

McDonald Army Health Center Outpatient Formulary

Ciprofloxacin (Ophthalmic)	Solution, Ophthalmic, as hydrochloride [drops]: Ciloxan: 3.5 mg/mL (2.5 mL) [contains benzalkonium chloride; equivalent to ciprofloxacin base 0.3%]	Solution, Ophthalmic, as hydrochloride [drops]: Ciloxan: 3.5 mg/mL (2.5 mL)
Ciprofloxacin (Systemic)	Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]	Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]
Citalopram	Solution, Oral: Generic: 10 mg/5 mL (240 mL) [BCF] Tablet, oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]	Tablet, Oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
Clarithromycin	Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL) Tablet, Oral: Generic: 250 mg, 500 mg Tablet Extended Release 24 Hour, Oral: Generic: 500 mg	Tablet, Oral: Generic: 500 mg
Cleansing Lotion	Liquid, External: CetaKlenz: 562 mL	
Clidinium and Chlordiazepoxide	Capsule, Oral: Generic: Clidinium bromide 2.5 mg and chlordiazepoxide hydrochloride 5 mg	
Clindamycin and Benzoyl Peroxide	Gel, External: Generic: Clindamycin 1.2% and benzoyl peroxide 5% (45 g)	Gel, External: Generic: Clindamycin 1.2% and benzoyl peroxide 5% (45 g)
Clindamycin (Systemic)	Capsule, Oral, as hydrochloride [strength expressed as base]: Generic: 150 mg [BCF], 300 mg Solution Reconstituted, Oral, as palmitate hydrochloride [strength expressed as base]: Generic: 75 mg/5 mL (100 mL)	Capsule, Oral, as hydrochloride [strength expressed as base]: Generic: 150 mg [BCF], 300 mg Solution Reconstituted, Oral, as palmitate hydrochloride [strength expressed as base]: Generic: 75 mg/5 mL (100 mL)
Clindamycin (Topical)	Cream, vaginal, as phosphate [strength expressed as base]: Generic: 2% (40 g) [BCF] Gel, topical, as phosphate [strength expressed as base]: Generic: 1% (30 g) Lotion, External, as phosphate [strength expressed as base]: Generic: 1% (60 g) Swab, External, as phosphate [strength expressed as base]: Generic: 1% (60 ea) Solution, External, as phosphate [strength expressed as base]: Generic: 1% (30 mL, 60 mL)	Cream, Vaginal, as phosphate [strength expressed as base]: Generic: 2% (40 g) [BCF] Gel, topical, as phosphate [strength expressed as base]: Generic: 1% (30 g) Lotion, External, as phosphate [strength expressed as base]: Generic: 1% (60 g) Solution, External, as phosphate [strength expressed as base]: Generic: 1% (30 mL, 60 mL)

McDonald Army Health Center Outpatient Formulary

Clobetasol	Aerosol, Foam, Topical, as propionate: Generic: 0.05% (50 g) Cream, Topical, as propionate: Generic: 0.05% (30 g) Cream, Topical, as propionate [emollient-based]: Generic: 0.05% (60 g) Gel, topical, as propionate: Generic: 0.05% (60 g) Ointment, Topical, as propionate: Generic: 0.05% (15 g, 30 g, 45 g) Solution, topical, as propionate [for scalp application]: Generic: 0.05% (25 mL)	Aerosol, Foam, Topical, as propionate: Generic: 0.05% (50 g) Cream, Topical, as propionate: Generic: 0.05% (30 g) Cream, Topical, as propionate [emollient-based]: Generic: 0.05% (60 g) Ointment, Topical, as propionate: Generic: 0.05% (15 g, 30 g, 45 g) Solution, topical, as propionate [for scalp application]: Generic: 0.05% (25 mL)
ClomiPHENE	Tablet, Oral, as citrate: Generic: 50 mg	Tablet, Oral, as citrate: Generic: 50 mg
Clonazepam	Tablet, Oral: Generic: 0.5 mg [BCF], 1 mg, 2 mg	Tablet, Oral: Generic: 0.5 mg [BCF], 1 mg, 2 mg
CloNIDine	Patch Weekly, Transdermal: Catapres-TTS-1: 0.1 mg/24 hours (4 ea) [contains metal] Catapres-TTS-2: 0.2 mg/24 hours (4 ea) [contains metal] Catapres-TTS-3: 0.3 mg/24 hours (4 ea) [contains metal] Tablet, Oral, as hydrochloride: Generic: 0.1 mg [BCF], 0.2 mg [BCF]	Patch Weekly, Transdermal: Generic: 0.1 mg/24 hr (4 ea); 0.2 mg/24 hr (4 ea); 0.3 mg/24 hr (4 ea) Tablet, Oral, as hydrochloride: Generic: 0.1 mg [BCF], 0.2 mg [BCF]
Clopidogrel	Tablet, Oral: Generic: 75 mg [BCF]	Tablet, Oral: Generic: 75 mg [BCF]
Clotrimazole (Oral)	Troche, Oral: Generic: 10 mg	Troche, Oral: Generic: 10 mg
Clotrimazole (Topical)	Cream, External: Generic: 1% (30 g) Cream, Vaginal: Generic: 1% (45 g) Solution, External: Generic: 1% (10 mL) [BCF]	Cream, External: Generic: 1% (30 g) Cream, Vaginal: Generic: 1% (45 g) Solution, External: Generic: 1% (10 mL) [BCF]
Coal Tar and Salicylic Acid	Gel, External [shampoo]: Tarsum: Coal tar solution 10% [equivalent to coal tar 2%] and salicylic acid (120 mL)	
Codeine	Tablet, Oral, as sulfate: Generic: 30 mg	
Colchicine	Tablet, Oral: Colcrys: 0.6 mg [scored]	Tablet, Oral: Generic: 0.6 mg
Colestipol	Tablet, Oral, as hydrochloride [micronized]: Colestid: 1 g	Tablet, Oral, as hydrochloride [micronized]: Generic: 1 g
Cromolyn (Nasal)	Aerosol Solution, Nasal, as sodium: Generic: 40 mg/mL (26 mL)	
Cromolyn (Ophthalmic)	Solution, Ophthalmic, as sodium: Generic: 4% (10 mL)	Solution, Ophthalmic, as sodium: Generic: 4% (10 mL)

McDonald Army Health Center Outpatient Formulary

Cyanocobalamin	Solution, Injection: Generic: 1000 mcg/mL (1 mL) Tablet, Oral Generic: 1000 mcg Tablet, Sublingual: Generic: 1000 mcg	Solution, Injection: Generic: 1000 mcg/mL (1 mL) Tablet, Oral Generic: 1000 mcg
Cyclobenzaprine	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg [BCF]
Cyclopentolate	Solution, Ophthalmic, as hydrochloride: Cyclogyl: 1% (2 mL) [contains benzalkonium chloride]	
Cyproheptadine	Syrup, Oral, as hydrochloride: Generic: 2 mg/5 mL (473 mL) [BCF] Tablet, Oral, as hydrochloride: Generic: 4 mg [BCF]	Syrup, Oral, as hydrochloride: Generic: 2 mg/5 mL (473 mL) [BCF] Tablet, Oral, as hydrochloride: Generic: 4 mg [BCF]
Dabigatran Etexilate	Capsule, Oral: Pradaxa: 75 mg, 150 mg	Capsule, Oral: Pradaxa: 75 mg, 150 mg
Danazol	Capsule, Oral: Generic: 200 mg	
Dantrolene	This medication is nonformulary. For formulary alternatives, refer to Therapeutic Category.	
Dapsone (Systemic)	Tablet, Oral: Generic: 25 mg	
Desipramine	Tablet, Oral, as hydrochloride: Generic: 25 mg	
Desmopressin	Tablet, Oral, as acetate: Generic: 0.1 mg, 0.2 mg	
Desonide	Cream, External: Generic: 0.05% (15 g, 60 g) Lotion, External: Generic: 0.05% (59 mL) Ointment, External: Generic: 0.05% (15 g, 60 g)	Cream, External: Generic: 0.05% (15 g, 60 g) Lotion, External: Generic: 0.05% (59 mL) Ointment, External: Generic: 0.05% (15 g, 60 g)
DexAMETHasone (Ophthalmic)	Solution, Ophthalmic, as phosphate: Generic: 0.1% (5 mL)	
DexAMETHasone (Systemic)	Elixir, Oral: Generic: 0.5 mg/5 mL (237 mL) Solution, Oral: Generic: 0.5 mg/5 mL (500 mL) Solution, Injection, as sodium phosphate: Generic: 4 mg/mL (1 mL) Tablet, Oral: Generic: 0.5 mg, 4 mg	Solution, Injection, as sodium phosphate: Generic: 4 mg/mL (1 mL) Tablet, Oral: Generic: 0.5 mg, 4 mg
Dextroamphetamine	Tablet, Oral, as sulfate: Generic: 5 mg	

McDonald Army Health Center Outpatient Formulary

<p>Dextroamphetamine and Amphetamine</p>	<p>Capsule, Extended Release, Oral: Adderall XR: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF] 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF] 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF] 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF] 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF] 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to</p>	<p>Capsule, Extended Release, Oral: Adderall XR: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF] 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF] 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF] 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF] 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF] 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to</p>
<p>Diabetic Supplies</p>	<p>Freestyle Freedom Lite Glucose meter: Precision Xtra Monitoring System Kit Lancet: Freestyle (100s) Syringe and needle: BD Syringe 0.5 mL (Ultra-Fine II) : 30 gauge x 1/2" (100s) BD Syringe 1 mL (Ultra-Fine II) 30 gauge x 1/2" (100s) BD Syringe 1 mL (Ultra-Fine II) 31 gauge x 5/16" [BCF] NovoFine Pen Needle: 30 gauge - 8 mm (100s) SureComfort Pen Needles 32 gauge - 4mm (100s) Test Strips: Freestyle Lite (50s) Ketostix (50s) Precision Xtra Blood Glucose Test Strips (100s) [BCF]</p>	<p>Freestyle Freedom Lite Glucose meter: Precision Xtra Monitoring System Kit Lancet: Freestyle (100s) Syringe and needle: BD Syringe 0.5 mL (Ultra-Fine II) : 30 gauge x 1/2" (100s) BD Syringe 1 mL (Ultra-Fine II) 30 gauge x 1/2" (100s) BD Syringe 1 mL (Ultra-Fine II) 31 gauge x 5/16" [BCF] NovoFine Pen Needle: 30 gauge - 8 mm (100s) SureComfort Pen Needles 32 gauge - 4mm (100s) Test Strips: Freestyle Lite (50s) Ketostix (50s) Precision Xtra Blood Glucose Test Strips (100s) [BCF]</p>

McDonald Army Health Center Outpatient Formulary

DiazePAM	Solution, Oral: Generic: 5 mg/5 mL (500 mL) Tablet, Oral: Generic: 5 mg [BCF]	Solution, Oral: Generic: 5 mg/5 mL (500 mL) Tablet, Oral: Generic: 5 mg [BCF]
Dibucaine	Ointment, External: Generic: 1% [10 mg/g] (30 g)	Ointment, External: Generic: 1% [10 mg/g] (30 g)
Diclofenac (Systemic)	Tablet Delayed Release, Oral, as sodium: Generic: 50 mg, 75 mg	Tablet Delayed Release, Oral, as sodium: Generic: 50 mg, 75 mg
Diclofenac (Topical)	Gel, Transdermal, as sodium: Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]	Gel, Transdermal, as sodium: Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]
Dicloxacillin	Capsule, Oral: Generic: 250 mg [BCF], 500 mg [BCF]	Capsule, Oral: Generic: 250 mg [BCF], 500 mg [BCF]
Dicyclomine	Capsule, Oral, as hydrochloride: Generic: 10 mg [BCF] Tablet, Oral, as hydrochloride: Generic: 20 mg [BCF]	Capsule, Oral, as hydrochloride: Generic: 10 mg [BCF] Tablet, Oral, as hydrochloride: Generic: 20 mg [BCF]
Diflunisal	Tablet, Oral: Generic: 500 mg	Tablet, Oral: Generic: 500 mg
Difluprednate	Emulsion, Ophthalmic: Durezol: 0.05% (5 mL) [contains edetate sodium (tetrasodium), polysorbate 80]	
Digoxin	Solution, Oral: Generic: 0.05 mg/mL (60 mL) Tablet, Oral: Lanoxin: 0.125 mg [BCF], 0.25 mg [BCF] [scored]	Tablet, Oral: Generic: 0.125 mg [BCF], 0.25 mg [BCF]
DilTIAZem	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Tiazac: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF] Tablet, Oral, as hydrochloride: Generic: 30 mg, 60 mg, 90 mg	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Tiazac: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF]
DiphenhydrAMINE (Systemic)	Capsule, Oral, as hydrochloride: Generic: 25 mg, 50 mg Solution, Oral, as hydrochloride: Diphenhist: 12.5 mg/5 mL (473 mL) [ethanol free; contains sodium 7 mg/5 mL, sodium benzoate; cherry flavor]	Capsule, Oral, as hydrochloride: Generic: 25 mg, 50 mg Solution, Oral, as hydrochloride: Diphenhist: 12.5 mg/5 mL (473 mL) [ethanol free; contains sodium 7 mg/5 mL, sodium benzoate; cherry flavor]
Diphenoxylate and Atropine	Tablet, Oral: Generic: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg	Tablet, Oral: Generic: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg
Dipyridamole	Tablet, Oral: Persantine: 75 mg Generic: 25 mg	
Disopyramide	Capsule, Oral: Generic: 100 mg, 150 mg	
Disulfiram	Tablet, Oral: Generic: 250 mg	
Docusate	Capsule, Softgel, Oral, as calcium: Generic: 240 mg	Capsule, Softgel, Oral, as calcium: Generic: 240 mg
Donepezil	Tablet, Oral, as hydrochloride: Aricept: 5 mg, 10 mg	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg

McDonald Army Health Center Outpatient Formulary

Dorzolamide	Solution, Ophthalmic: Generic: 2% (10 mL)	Solution, Ophthalmic: Generic: 2% (10 mL)
Dorzolamide and Timolol	Solution, Ophthalmic [drops]: Generic: Dorzolamide 2% and timolol 0.5% (10 mL)	Solution, Ophthalmic [drops]: Generic: Dorzolamide 2% and timolol 0.5% (10 mL)
Doxazosin	Tablet, Oral: Generic: 2 mg, 4 mg, 8 mg	Tablet, Oral: Generic: 2 mg, 4 mg, 8 mg
Doxepin (Systemic)	Capsule, Oral: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]	Capsule, Oral: Generic: 10 mg [BCF], 25 mg [BCF]
Doxycycline	Capsule, Oral, as hyclate [strength expressed as base]: Generic: 100 mg [BCF] Tablet, Oral, as hyclate [strength expressed as base]: Generic: 100 mg [BCF]	Capsule, Oral, as hyclate [strength expressed as base]: Generic: 100 mg Tablet, Oral, as hyclate [strength expressed as base]: Generic: 100 mg [BCF]
Doxylamine	Tablet, Oral, as succinate: Sleep Aid: 25 mg [scored] [BCF]	
Dronedarone	Tablet, Oral: Multaq: 400 mg	
Dulaglutide	Solution Pen-injector, Subcutaneous [preservative free]: Trulicity: 0.75 mg/0.5 mL (0.5 mL); 1.5 mg/0.5 mL (0.5 mL) [contains polysorbate 80]	
DULoxetine	Capsule Delayed Release Particles, Oral: Generic: 20 mg, 30 mg, 60 mg	Capsule Delayed Release Particles, Oral: Generic: 20 mg
Emollients	Cream, External: Hydrocerin: (113 g, 454 g) Vanicream: (453 g) Ointment, External: Aquaphor: 41% (396 g) Hydrophor: 42% (100 g, 454 g)	Cream, External: Absorbase: (113 g, 454 g) Ointment, External: Aquaphor: 41% (396 g)
Empagliflozin	Tablet, Oral: Jardiance: 10 mg, 25 mg	
Enoxaparin	Solution, Injection, as sodium [preservative free]: Lovenox: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF]; 150 mg/mL (1 mL) [BCF] [prefilled syringe]	Solution, Injection, as sodium [preservative free]: Generic: 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]
EPINEPHrine (Systemic)	Device, Injection: EpiPen 2-Pak: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection] EpiPen Jr 2-Pak: 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection]	Device, Injection: EpiPen 2-Pak: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection] EpiPen Jr 2-Pak: 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection]
Ergocalciferol	Capsule, Oral: Generic: 50,000 units [1.25 mg]	Capsule, Oral: Generic: 50,000 units [1.25 mg]
Erythromycin (Ophthalmic)	Ointment, Ophthalmic: Generic: 5 mg/g (3.5 g) [BCF]	Ointment, Ophthalmic: Generic: 5 mg/g (3.5 g) [BCF]

McDonald Army Health Center Outpatient Formulary

Erythromycin (Systemic)	Tablet, Delayed Release, Oral, as base: Ery-Tab: 250 mg [contains sodium 8.3 mg (0.4 mEq)/tablet] [BCF]	Tablet, Delayed Release, Oral, as base: Ery-Tab: 250 mg [contains sodium 8.3 mg (0.4 mEq)/tablet] [BCF]
Erythromycin (Topical)	Pad, External: Generic: 2% (60s) Solution, External: Generic: 2% (60 mL) [BCF]	Pad, External: Generic: 2% (60s)
Escitalopram	Capsule Delayed Release Particles, Oral: Generic: 5 mg, 10 mg, 20 mg	Capsule Delayed Release Particles, Oral: Generic: 10 mg, 20 mg
Estradiol (Systemic)	Patch Weekly, Transdermal: Generic for Climara: 0.025 mg/24 hours (4 ea) [BCF]; 0.0375 mg/24 hours (4 ea) [BCF]; 0.05 mg/24 hours (4 ea) [BCF]; 0.075 mg/24 hours (4 ea) [BCF]; 0.1 mg/24 hours (4 ea) [BCF] Tablet, oral [micronized]: Generic for Estrace: 1 mg, 2 mg	Patch, Transdermal [once-weekly patch]: Generic for Climara: 0.025 mg/24 hr (4 ea) [BCF]; 0.05 mg/24 hr (4 ea) [BCF]; 0.1 mg/24 hr (4 ea) [BCF] Tablet, Oral [micronized]: Generic for Estrace: 1 mg, 2 mg
Estradiol (Topical)	Cream, Vaginal: Estrace: 0.1 mg/g (42.5 g) Ring, Vaginal, as base: Estring: 2 mg (1 ea) Tablet, Vaginal, as base: Vagifem: 10 mcg	Ring, Vaginal, as base: Estring: 2 mg (1 ea) Tablet, Vaginal, as base: Vagifem: 10 mcg
Estrogens (Conjugated/Equine) and Medroxyprogesterone	Tablet, Oral: Prempro: 0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg [BCF] Prempro: 0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg [BCF] Prempro: 0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg [BCF] Prempro: 0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg [BCF]	Tablet, Oral: Prempro: 0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg [BCF] Prempro: 0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg [BCF] Prempro: 0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg [BCF]
Estrogens (Conjugated/Equine, Systemic)	Tablet, Oral: Premarin: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]	Tablet, Oral: Premarin: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]
Estrogens (Conjugated/Equine, Topical)	Cream, Vaginal: Premarin: 0.625 mg/g (30 g) [BCF]	Cream, Vaginal: Premarin: 0.625 mg/g (30 g) [BCF]
Estrogens (Esterified) and Methyltestosterone	Tablet, Oral: Generic: Esterified estrogens 0.625 mg and methyltestosterone 1.25	Tablet, Oral: Generic: Esterified estrogens 0.625 mg and methyltestosterone 1.25
Estropipate	Tablet, Oral: Generic: 0.75 mg, 1.5 mg	
Eszopiclone	Tablet, Oral: Generic: 1 mg, 2 mg, 3 mg	
Ethambutol	Tablet, Oral, as hydrochloride: Myambutol: 400 mg [scored] [BCF]	
Ethinyl Estradiol and Desogestrel	Tablet, Oral [monophasic formulation]: Ortho-Cept (Apri/Desogen): Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 rose tablets and 7 white inactive tablets] (28s)	Tablet, Oral [monophasic formulation]: Ortho-Cept (Apri/Desogen): Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 rose tablets and 7 white inactive tablets] (28s)

McDonald Army Health Center Outpatient Formulary

<p>Ethinyl Estradiol and Drospirenone</p>	<p>Tablet, Oral: Yasmin: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 yellow active tablets and 7 white inactive tablets] (28s) [BCF] Yaz: Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light pink active tablets and 4 white inactive tablets] (28s) [BCF]</p>	<p>Tablet, Oral: Yaz: Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light pink active tablets and 4 white inactive tablets] (28s) [BCF] Generic: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 blue active tablets and 7 peach inactive tablets] (28s) [BCF]</p>
<p>Ethinyl Estradiol and Ethynodiol Diacetate</p>	<p>Tablet, Oral: Zovia 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets]</p>	<p>Tablet, Oral: Zovia 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets]</p>
<p>Ethinyl Estradiol and Etonogestrel</p>	<p>Ring, Vaginal: NuvaRing: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]</p>	<p>Ring, Vaginal: NuvaRing: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]</p>
<p>Ethinyl Estradiol and Levonorgestrel</p>	<p>Tablet, Oral [low dose formulation]: Aviane/Lessina/Lutera/Sronyx: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 tablets and 7 inactive tablets] (28s) [BCF] Tablet, Oral [monophasic formulation]: Nordette (Levora/Portia): Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 tablets and 7 inactive tablets] [BCF] Tablet, Oral [extended cycle regimen]: Seasonale (Jolesa): Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [84 tablets and 7 inactive tablets] (91s) Tablet, Oral [triphasic formulation]: Trivora: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 blue tablets] Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets] Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 pink tablets] Day 22-28: 7 peach inactive tablets [7 peach inactive tablets] (28s)</p>	<p>Tablet, Oral [low dose formulation]: Aviane/Lessina/Lutera/Sronyx: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 tablets and 7 inactive tablets] (28s) [BCF] Tablet, Oral [monophasic formulation]: Nordette (Levora/Portia): Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 tablets and 7 inactive tablets] [BCF] Tablet, Oral [extended cycle regimen]: Seasonale (Jolesa): Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [84 tablets and 7 inactive tablets] (91s) Tablet, Oral [triphasic formulation]: Trivora: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 blue tablets] Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets] Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 pink tablets] Day 22-28: 7 peach inactive tablets [7 peach inactive tablets] (28s)</p>
<p>Ethinyl Estradiol and Norelgestromin</p>	<p>Patch, Transdermal: Ortho Evra: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day] (3s) Xulane: Ethinyl estradiol 0.53 mg and norelgestromin 4.86 mg [releases ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day] (3s)</p>	<p>Patch, Transdermal: Ortho Evra: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day] (3s) Xulane: Ethinyl estradiol 0.53 mg and norelgestromin 4.86 mg [releases ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day] (3s)</p>

McDonald Army Health Center Outpatient Formulary

<p>Ethinyl Estradiol and Norethindrone</p>	<p>Tablet, Oral [monophasic formulation]: Loestrin Fe 1/20, Microgestin 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 tablets] and ferrous fumarate 75 mg [7 tablets] (28s) Loestrin Fe 1.5/30, Microgestin 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 tablets] and ferrous fumarate 75 mg [7 tablets] (28s) Norinyl 1+35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 yellow-green tablets and 7 orange inactive tablets] [BCF] Ortho-Novum 1/35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 peach tablets and 7 green inactive tablets] [BCF] Tablet, Oral [triphasic formulation]: Ortho-Novum, Necon 7/7/7: Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets] Day 22-28: 7 green inactive tablets (28s)</p>	<p>Tablet, Oral [monophasic formulation]: Loestrin Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 light yellow tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s) Loestrin Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 pink tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s) Norinyl 1+35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 yellow-green tablets and 7 orange inactive tablets] [BCF] Tablet, Oral [triphasic formulation]: Necon 7/7/7: Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets] Day 22-28: 7 green inactive tablets (28s)</p>
<p>Ethinyl Estradiol and Norgestimate</p>	<p>Tablet, Oral [monophasic formulation]: Ortho-Cyclen, MonoNessa: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 tablets and 7 inactive tablets] [BCF] Tablet, Oral [triphasic formulation]: Ortho Tri-Cyclen Lo [BCF]: Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets] Day 22-28: 7 dark green inactive tablets Ortho Tri-Cyclen, TriNessa [BCF]: Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets] Day 22-28: 7 green inactive tablets</p>	<p>Tablet, Oral [monophasic formulation]: MonoNessa: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] [BCF] Tablet, Oral [triphasic formulation]: Ortho Tri-Cyclen Lo [BCF]: Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets] Day 22-28: 7 dark green inactive tablets TriNessa [BCF]: Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets] Day 22-28: 7 green inactive tablets</p>
<p>Ethinyl Estradiol and Norgestrel</p>	<p>Tablet, Oral [monophasic formulation]: Lo/Ovral (Cryselle/Low-Ogestrel): Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 peach inactive tablets] (28s) Ovral (Ogestrel): Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg [21 white tablets and 7 peach inactive tablets] (28s)</p>	<p>Tablet, Oral [monophasic formulation]: Low-Ogestrel: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 peach inactive tablets] (28s) Ogestrel: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg [21 white tablets and 7 peach inactive tablets] (28s)</p>

McDonald Army Health Center Outpatient Formulary

Ethosuximide	Capsule, Oral: Generic: 250 mg Solution, Oral: Generic: 250 mg/5 mL (473 mL)	
Exenatide	Auto-injector, Subcutaneous: Bydureon BCise: 2 mg/0.85 mL (0.85 mL) [BCF] Pen-injector, Subcutaneous: Bydureon: 2 mg (1 ea) [BCF]	
Ezetimibe	Tablet, Oral: Zetia: 10 mg	Tablet, Oral: Zetia: 10 mg
Famotidine	Suspension Reconstituted, Oral: Generic: 40 mg/5 mL (50 mL) Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg	Tablet, Oral: Generic: 20 mg
Felodipine	Tablet, Extended Release, Oral: Generic: 2.5 mg, 5 mg, 10 mg	Tablet, Extended Release, Oral: Generic: 5 mg, 10 mg
Fenofibrate and Derivatives	Tablet, Oral, as fenofibrate: Lofibra: 54 mg, 160 mg Generic: 48 mg [BCF], 54 mg, 145 mg [BCF], 160 mg	Tablet, Oral, as fenofibrate: Generic: 48 mg [BCF], 54 mg, 145 mg [BCF], 160 mg
FentaNYL	Patch, Transdermal, as base: Generic: 25 [delivers 25 mcg/hr] (5s); 50 [delivers 50 mcg/hr] (5s); 75 [delivers 75 mcg/hr] (5s); 100 [delivers 100 mcg/hr] (5s)	Patch, Transdermal, as base: Generic: 25 [delivers 25 mcg/hr] (5s); 50 [delivers 50 mcg/hr] (5s); 75 [delivers 75 mcg/hr] (5s); 100 [delivers 100 mcg/hr] (5s)
Ferrous Gluconate	Tablet, Oral [preservative free]: Ferate: 240 mg [elemental iron 27 mg]	
Ferrous Sulfate	Elixir, Oral: Generic: 220 mg/5 mL (480 mL) [elemental iron 44 mg/5 mL] Solution, Oral: Fer-iron: 75 mg/mL (50 mL) [contains ethanol 0.2%, sodium bisulfite; lemon flavor; elemental iron 15 mg/mL] Tablet, Oral: Generic: 325 mg [elemental iron 65 mg]	Solution, Oral: Generic: 15 mg/mL (50 mL) Tablet, Oral: Generic: 325 mg [elemental iron 65 mg]
Fexofenadine	Suspension, Oral, as hydrochloride: Allegra Allergy Childrens: 30 mg/5 mL (120 mL) Tablet, Oral, as hydrochloride: Generic: 60 mg, 180 mg	Suspension, Oral, as hydrochloride: Allegra Allergy Childrens: 30 mg/5 mL (120 mL) Tablet, Oral, as hydrochloride: Generic: 60 mg, 180 mg
Finasteride	Tablet, Oral: Proscar: 5 mg [BCF]	Tablet, Oral: Generic: 5 mg [BCF]
Flecainide	Tablet, Oral, as acetate: Generic: 50 mg, 100 mg	Tablet, Oral, as acetate: Generic: 100 mg
Fluconazole	Suspension Reconstituted, Oral: Generic: 10 mg/mL (35 mL); 40 mg/mL (35 mL) Tablet, Oral: Generic: 100 mg, 150 mg [BCF], 200 mg	Tablet, Oral: Generic: 100 mg, 150 mg [BCF], 200 mg
Fludrocortisone	Tablet, Oral, as acetate: Generic: 0.1 mg	Tablet, Oral, as acetate: Generic: 0.1 mg

McDonald Army Health Center Outpatient Formulary

Fluocinolone, Hydroquinone, and Tretinoin	Cream, External: Tri-Luma: Fluocinolone acetonide 0.01%, hydroquinone 4%, and tretinoin 0.05% (30 g) [contains sodium metabisulfite]	
Fluocinolone (Topical)	Oil, topical, as acetonide [body oil]: Derma-Smoothe/FS: 0.01% (120 mL) [contains isopropyl alcohol, peanut oil] Oil, topical, as acetonide [scalp oil]: Derma-Smoothe/FS: 0.01% (120 mL) [contains isopropyl alcohol, peanut oil] Solution, External, as acetonide: Generic: 0.01% (60 mL)	Oil, Topical, as acetonide [body oil]: Derma-Smoothe/FS: 0.01% (120 mL) [contains isopropyl alcohol, peanut oil] Oil, Topical, as acetonide [scalp oil]: Derma-Smoothe/FS: 0.01% (120 mL) [contains isopropyl alcohol, peanut oil] Solution, External, as acetonide: Generic: 0.01% (60 mL)
Fluocinonide	Cream, External: Generic: 0.05% (15 g, 60 g) [BCF] Gel, External: Generic: 0.05% (15 g, 30 g, 60 g) Ointment, External: Generic: 0.05% (15 g, 60 g) Solution, External: Generic: 0.05% (60 mL)	Cream, External: Generic: 0.05% (15 g, 60 g) [BCF] Gel, External: Generic: 0.05% (15 g, 30 g, 60 g) Ointment, External: Generic: 0.05% (15 g, 60 g) Solution, External: Generic: 0.05% (60 mL)
Fluoride	Cream, Oral, as sodium [toothpaste]: PreviDent 5000 Plus: 1.1% (51 g) [contains sodium benzoate; fruitastic flavor; equivalent to fluoride 2.5 mg/dose] Gel, Oral, as sodium [toothpaste]: PreviDent: 1.1% (56 g) [neutral pH; equivalent to fluoride 2 mg/dose]	Cream, Oral, as sodium [toothpaste]: PreviDent 5000 Plus: 1.1% (51 g) [contains sodium benzoate; fruitastic flavor; equivalent to fluoride 2.5 mg/dose] Gel, Oral, as sodium [toothpaste]: PreviDent: 1.1% (56 g) [neutral pH; equivalent to fluoride 2 mg/dose]
Fluorometholone	Ointment, Ophthalmic, as base: FML: 0.1% (3.5 g) [contains phenylmercuric acetate] Suspension, Ophthalmic, as base [drops]: Generic: 0.1% (5 mL, 10 mL)	Suspension, Ophthalmic, as base [drops]: Generic: 0.1% (5 mL, 10 mL)
Fluorouracil (Topical)	Cream, External: Efudex: 5% (40 g)	Cream, External: Generic: 5% (40 g)
FLUoxetine	Capsule, Oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF] Solution, Oral: Generic: 20 mg/5 mL (120 mL) [BCF] Tablet, Oral: Generic: 10 mg [BCF]	Capsule, Oral: Generic: 10 mg [BCF], 20 mg [BCF] Solution, Oral: Generic: 20 mg/5 mL (120 mL) [BCF] Tablet, Oral: Generic: 10 mg [BCF]
Flurbiprofen (Systemic)	Tablet, Oral: Generic: 50 mg, 100 mg	

McDonald Army Health Center Outpatient Formulary

Fluticasone and Salmeterol	<p>Aerosol, for Oral Inhalation: Advair HFA: 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Advair HFA: 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Powder, for Oral Inhalation: Advair Diskus: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF] Advair Diskus: 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF] Advair Diskus: 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF]</p>	<p>Aerosol, for Oral Inhalation: Advair HFA: 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Advair HFA: 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Powder, for Oral Inhalation: Advair Diskus: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF] Advair Diskus: 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF] Advair Diskus: 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF]</p>
Fluticasone (Nasal)	<p>Suspension, Nasal, as propionate: Generic: 50 mcg/inhalation (16 g) [BCF]</p>	<p>Suspension, Nasal, as propionate: Generic: 50 mcg/inhalation (16 g) [BCF]</p>
Fluticasone (Oral Inhalation)	<p>Aerosol, Inhalation, as propionate: Flovent HFA: 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent HFA: 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent HFA: 220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Aerosol Powder Breath Activated, Inhalation, as propionate: Flovent Diskus: 50 mcg (60s) [contains lactose] [BCF] Flovent Diskus: 100 mcg (60s) [contains lactose] [BCF] Flovent Diskus: 250 mcg (60s) [contains lactose] [BCF]</p>	<p>Aerosol, for Oral Inhalation, as propionate: Flovent HFA: 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent HFA: 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent HFA: 220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]</p>
Fluticasone (Topical)	<p>Cream, External, as propionate: Generic: 0.05% (30 g) Ointment, External, as propionate: Generic: 0.005% (15 g)</p>	
Folic Acid	<p>Tablet, Oral: Generic: 1 mg [BCF]</p>	<p>Tablet, Oral: Generic: 1 mg [BCF]</p>
Furosemide	<p>Solution, Oral: Generic: 10 mg/mL (60 mL) [BCF] Tablet, Oral: Generic: 20 mg [BCF], 40 mg [BCF]</p>	<p>Tablet, Oral: Generic: 20 mg [BCF], 40 mg [BCF]</p>

McDonald Army Health Center Outpatient Formulary

Gabapentin	Capsule, Oral: Generic: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF] Solution, Oral: Generic: 250 mg/5 mL (470 mL) Tablet, Oral: Generic: 600 mg [BCF], 800 mg [BCF]	Capsule, Oral: Generic: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, Oral: Generic: 600 mg [BCF], 800 mg [BCF]
Ganciclovir (Ophthalmic)	Gel, Ophthalmic: Zirgan: 0.15% (5 g)	
Gemfibrozil	Tablet, Oral: Generic: 600 mg [BCF]	Tablet, Oral: Generic: 600 mg [BCF]
Gentamicin (Ophthalmic)	Ointment, Ophthalmic: Gentak: 0.3% (3.5 g) [BCF] Solution, Ophthalmic [drops]: Generic: 0.3% (5 mL) [BCF]	Solution, Ophthalmic [drops]: Generic: 0.3% (5 mL) [BCF]
Glimepiride	Tablet, Oral: Generic: 1 mg, 2 mg, 4 mg	Tablet, Oral: Generic: 1 mg, 2 mg, 4 mg
GlipiZIDE	Tablet, Oral: Generic: 5 mg [BCF], 10 mg [BCF] Tablet, Extended Release, Oral: Glucotrol XL: 2.5 mg Generic: 5 mg, 10 mg	Tablet, Oral: Generic: 5 mg [BCF], 10 mg [BCF] Tablet, Extended Release, Oral: Generic: 2.5 mg, 5 mg, 10 mg
Glucagon	Kit, Injection: Glucagon Emergency: 1 mg [contains lactose]	Kit, Injection: Glucagon Emergency: 1 mg [contains lactose]
GlyBURIDE	Tablet, Oral: Generic: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF] Tablet, Oral [micronized]: Generic: 3 mg [BCF]	Tablet, Oral: Generic: 2.5 mg [BCF], 5 mg [BCF] Tablet, Oral [micronized]: Generic: 3 mg [BCF]
Glyburide and Metformin	Tablet, Oral: Generic: 1.25/250: Glyburide 1.25 mg and metformin hydrochloride 250 mg 2.5/500: Glyburide 2.5 mg and metformin hydrochloride 500 mg 5/500: Glyburide 5 mg and metformin hydrochloride 500 mg	Tablet, Oral: Generic: 1.25/250: Glyburide 1.25 mg and metformin hydrochloride 250 mg 2.5/500: Glyburide 2.5 mg and metformin hydrochloride 500 mg 5/500: Glyburide 5 mg and metformin hydrochloride 500 mg
Glycerin	Suppository, Rectal [adult]: Sani-Supp: 2 g (10s) Suppository, Rectal [pediatric]: Sani-Supp: 1.2 g (10s)	
Glycopyrrolate (Systemic)	Tablet, Oral: Generic: 1 mg, 2 mg	Tablet, Oral: Generic: 1 mg
Griseofulvin	Suspension, Oral [microsize]: Generic: 125 mg/5 mL (120 mL) [BCF] Tablet, Oral [ultramicrosize]: Generic: 125 mg [BCF]	Suspension, Oral [microsize]: Generic: 125 mg/5 mL (120 mL) [BCF]
GuaiFENesin	Syrup, Oral: Generic: 100 mg/5 mL (118 mL) Tablet Extended Release 12 Hour, Oral: Mucinex: 600 mg (20s) Mucinex Maximum Strength: 1200 mg Generic: 600 mg, 1200 mg	Syrup, Oral: Generic: 100 mg/5 mL (118 mL) Tablet Extended Release 12 Hour, Oral: Mucinex: 600 mg (20s) Mucinex Maximum Strength: 1200 mg Generic: 600 mg, 1200 mg

McDonald Army Health Center Outpatient Formulary

Guaifenesin and Codeine	Solution, Oral: Generic: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (118 mL)	Solution, Oral: Generic: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (118 mL)
Guaifenesin and Dextromethorphan	Syrup, Oral: Generic: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (118 mL) Tablet, Extended Release, Oral: Mucinex DM: Guaifenesin 600 mg and dextromethorphan hydrobromide 30 mg	Tablet, Extended Release, Oral: Mucinex DM: Guaifenesin 600 mg and dextromethorphan hydrobromide 30 mg
GuanFACINE	Tablet, Oral: Generic: 1 mg, 2 mg Tablet Extended Release 24 Hour, Oral: Generic: 1 mg, 2 mg, 3 mg, 4 mg	Tablet, Oral: Generic: 1 mg
Haloperidol	Tablet, Oral: Generic: 1 mg, 2 mg, 5 mg	
Hetastarch	This medication is nonformulary. For formulary alternatives, refer to Therapeutic Category.	
HydrALAZINE	Tablet, Oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
HydroCHLOROthiazide	Capsule, Oral: Generic: 12.5 mg [BCF] Tablet, Oral: Generic: 25 mg [BCF], 50 mg [BCF]	Capsule, Oral: Generic: 12.5 mg [BCF] Tablet, Oral: Generic: 25 mg [BCF], 50 mg [BCF]
Hydrochlorothiazide and Triamterene	Tablet, Oral: Generic: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF] Hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]	Tablet, Oral: Generic: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF] Hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]
Hydrocodone and Acetaminophen	Tablet, Oral: Generic: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg Hydrocodone bitartrate 10 mg and acetaminophen 325 mg	Tablet, Oral: Generic: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg Hydrocodone bitartrate 10 mg and acetaminophen 325 mg
Hydrocodone and Chlorpheniramine	Suspension Extended Release, Oral: Generic: Hydrocodone polistirex [equivalent to hydrocodone bitartrate 10 mg] and chlorpheniramine polistirex [equivalent to chlorpheniramine maleate 8 mg] per 5 mL (118 mL)	
Hydrocortisone (Systemic)	Tablet, Oral, as base: Generic: 5 mg, 10 mg, 20 mg	Tablet, Oral, as base: Generic: 5 mg

McDonald Army Health Center Outpatient Formulary

Hydrocortisone (Topical)	Cream, Rectal, as base: Proctosol-HC: 2.5% (30 g) [BCF] Cream, External, as base: Generic: 1% (28.4 g); 2.5% (28 g) Cream, External, as valerate: Generic: 0.2% (15 g, 60 g) Lotion, External, as base: HydroSKIN: 1% (118 mL) [contains benzyl alcohol] Ointment, External, as base: Generic: 2.5% (20 g) Ointment, External, as valerate: Generic: 0.2% (15 g, 45 g) Suppository, Rectal, as acetate: Generic: 25 mg (12s) [BCF] Suspension, Rectal, as base: Cortenema: 100 mg/60 mL (60 mL)	Cream, Rectal, as base: Proctosol-HC: 2.5% (30 g) [BCF] Cream, External, as base: Generic: 1% (28.4 g); 2.5% (28 g) Cream, External, as valerate: Generic: 0.2% (15 g, 60 g) Lotion, External, as base: HydroSKIN: 1% (118 mL) [contains benzyl alcohol] Ointment, External, as valerate: Generic: 0.2% (15 g, 45 g) Suppository, Rectal, as acetate: Generic: 25 mg (12s) [BCF]
HYDROmorphine	Tablet, Oral, as hydrochloride: Generic: 2 mg	Tablet, Oral, as hydrochloride: Generic: 2 mg
Hydroquinone	Cream, External: Nuquin HP: 4% (28.4 g) [contains ethanol, sodium metabisulfite, sunscreen]	Cream, External: Nuquin HP: 4% (28.4 g) [contains ethanol, sodium metabisulfite, sunscreen]
Hydroxychloroquine	Tablet, Oral, as sulfate: Generic: 200 mg [equivalent to 155 mg base]	Tablet, Oral, as sulfate: Generic: 200 mg [equivalent to 155 mg base]
Hydroxyurea	Capsule, Oral: Generic: 500 mg	Capsule, Oral: Generic: 500 mg
HydrOXYzine	Capsule, Oral, as pamoate: Generic: 25 mg, 50 mg Syrup, Oral, as hydrochloride: Generic: 10 mg/5 mL (473 mL) [BCF] Tablet, Oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF]	Syrup, Oral, as hydrochloride: Generic: 10 mg/5 mL (473 mL) [BCF] Tablet, Oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF]
Hyoscyamine	Tablet Sublingual, Sublingual, as sulfate: Generic: 0.125 mg	
Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	Elixir, Oral: Donnatal: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (473 mL) [contains ethanol <23.8%; grape flavor] Tablet, Oral: Donnatal: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg	
Ibandronate	Tablet, Oral: Boniva: 150 mg [once-monthly formulation]	Tablet, Oral: Generic: 150 mg
Ibuprofen	Suspension, Oral: Generic: 100 mg/5 mL (120 mL) Tablet, Oral: Generic: 200 mg, 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]	Suspension, Oral: Generic: 100 mg/5 mL (120 mL) Tablet, Oral: Generic: 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]
Imipramine	Tablet, Oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 25 mg [BCF]

McDonald Army Health Center Outpatient Formulary

Imiquimod	Cream, External: Generic: 5% (24 ea)	Cream, External: Generic: 5% (24 ea)
Immune Globulin	This medication is nonformulary. For formulary alternatives, refer to Therapeutic Category.	
Indomethacin	Capsule, Oral: Generic: 25 mg [BCF] , 50 mg [BCF] Capsule, Extended Release, Oral: Generic: 75 mg	Capsule, Oral: Generic: 25 mg [BCF] Capsule, Extended Release, Oral: Generic: 75 mg
Inhalation Devices	Spacer/Aerosol-Holding chamber: AeroChamber Z-Stat: Small, medium, large	Spacer/Aerosol-Holding chamber: AeroChamber Z-Stat: Small, medium, large
Insulin Aspart	Solution, Injection: NovoLOG: 100 units/mL (10 mL) [vial] [BCF] NovoLOG FlexPen: 100 units/mL (3 mL) [BCF] NovoLOG Penfill: 100 units/mL (3 mL) [cartridge] [BCF]	Solution, Injection: NovoLOG: 100 units/mL (10 mL) [vial] [BCF] NovoLOG FlexPen [®] : 100 units/mL (3 mL) [BCF]
Insulin Glargine	Solution, Injection: Lantus: 100 units/mL (10 mL) [vial] [BCF] Lantus Solostar: 100 units/mL (3 mL) [prefilled pen] [BCF]	Solution, Injection: Lantus: 100 units/mL (10 mL) [vial] [BCF] Lantus Solostar: 100 units/mL (3 mL) [prefilled pen] [BCF]
Insulin Lispro	Solution, Subcutaneous: HumaLOG: 100 units/mL (3 mL, 10 mL) [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: HumaLOG KwikPen: 100 units/mL (3 mL); 200 units/mL (3 mL) [contains metacresol, phenol]	
Insulin NPH	Injection, Suspension: NovoLIN N: 100 units/mL (10 mL) [vial] [BCF]	Injection, Suspension: NovoLIN N: 100 units/mL (10 mL) [vial] [BCF]
Insulin NPH and Insulin Regular	Injection, Suspension: NovoLIN 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [vial] [BCF]	Injection, Suspension: NovoLIN 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [vial] [BCF]
Insulin Regular	Solution, Injection: NovoLIN R: 100 units/mL (10 mL) [BCF]	Solution, Injection: NovoLIN R: 100 units/mL (10 mL) [BCF]
Ipratropium and Albuterol	Solution, for Nebulization: Generic: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s) [BCF] Solution, for Oral Inhalation [spray]: Combivent Respimat: Ipratropium bromide 20 mcg and albuterol (base) 100 mcg per inhalation (4 g) [contains benzalkonium chloride; 120 metered actuations]	Solution, for Nebulization: Generic: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s) Solution, for Oral Inhalation [spray]: Combivent Respimat: Ipratropium bromide 20 mcg and albuterol (base) 100 mcg per inhalation (4 g) [contains benzalkonium chloride; 120 metered actuations]
Ipratropium (Nasal)	Solution, Nasal, as bromide: Generic: 0.03% (30 mL); 0.06% (15 mL)	
Ipratropium (Oral Inhalation)	Aerosol, for Oral Inhalation, as bromide: Atrovent HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF] Solution, for Nebulization, as bromide: Generic: 0.02% [500 mcg/2.5 mL] (30s)	Aerosol, for Oral Inhalation, as bromide: Atrovent HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF] Solution, for Nebulization, as bromide: Generic: 0.02% [500 mcg/2.5 mL] (30s)

McDonald Army Health Center Outpatient Formulary

Isoniazid	Solution, Oral: Generic: 50 mg/5 mL (473 mL) Tablet, Oral: Generic: 100 mg [BCF], 300 mg [BCF]	Tablet, Oral: Generic: 300 mg [BCF]
Isosorbide Dinitrate	Capsule Extended Release, Oral: Dilatrate-SR: 40 mg Tablet, Oral: Generic: 10 mg [BCF], 20 mg [BCF]	Capsule Extended Release, Oral: Dilatrate-SR: 40 mg Tablet, Oral: Generic: 10 mg [BCF]
Isosorbide Mononitrate	Tablet, Extended Release, Oral: Generic: 30 mg [BCF], 60 mg [BCF], 120 mg [BCF]	Tablet, Extended Release, Oral: Generic: 30 mg [BCF], 60 mg [BCF]
ISOTretinoin (Systemic)	Capsule, Oral: Generic: 20 mg, 30 mg, 40 mg	Capsule, Oral: 20 mg, 40 mg [contains soybean oil]
Itraconazole	Capsule, Oral: Generic: 100 mg	Capsule, Oral: Generic: 100 mg
Ketoconazole (Systemic)	Tablet, Oral: Generic: 200 mg	Tablet, Oral: Generic: 200 mg
Ketoconazole (Topical)	Cream, External: Generic: 2% (15 g, 30 g) Shampoo, External: Generic: 2% (120 mL)	Cream, External: Generic: 2% (15 g, 30 g) Shampoo, External: Generic: 2% (120 mL)
Ketorolac (Ophthalmic)	Solution, Ophthalmic, as tromethamine: Acular: 0.5% (5 mL) [contains benzalkonium chloride]	
Ketorolac (Systemic)	Solution, Injection, as tromethamine: Generic: 60 mg/2 mL (2 mL) Tablet, Oral, as tromethamine: Generic: 10 mg	Solution, Injection, as tromethamine: Generic: 60 mg/2 mL (2 mL) Tablet, Oral, as tromethamine: Generic: 10 mg
Ketotifen (Ophthalmic)	Solution, Ophthalmic: Zaditor: 0.025% (5 mL) [contains benzalkonium chloride]	
Labetalol	Tablet, Oral, as hydrochloride: Generic: 100 mg, 200 mg, 300 mg	Tablet, Oral, as hydrochloride: Generic: 100 mg, 200 mg
Lacosamide	Solution, Oral: Vimpat: 10 mg/mL (465 mL) Tablet, Oral: Vimpat: 50 mg, 100 mg, 150 mg, 200 mg	
Lactic Acid and Ammonium Hydroxide	Cream, External: Lac-Hydrin: Lactic acid 12% with ammonium hydroxide (140 g) Lotion, External: Generic: Lactic acid 12% with ammonium hydroxide (225 g)	Cream, External: Generic: Lactic acid 12% with ammonium hydroxide (140 g) Lotion, External: Generic: Lactic acid 12% with ammonium hydroxide (225 g)
Lactobacillus	Capsule, Oral: Culturelle: L. rhamnosus GG 10 billion colony-forming units [contains casein and whey] Packet, Oral: Culturelle Kids: Lactobacillus Rhamnosus (GG) (30 ea)	
Lactulose	Solution, Oral: Generic: 10 g/15 mL (473 mL) [BCF]	Solution, Oral: Generic: 10 g/15 mL (473 mL) [BCF]
LamoTRlgine	Tablet, Oral: Generic: 25 mg, 100 mg, 150 mg, 200 mg	Tablet, Oral: Generic: 25 mg, 100 mg, 150 mg, 200 mg

McDonald Army Health Center Outpatient Formulary

Lansoprazole	Tablet Disintegrating, Oral: Prevacid SoluTab: 15 mg, 30 mg [contains aspartame]	
Latanoprost	Solution, Ophthalmic: Generic: 0.005% (2.5 mL) [BCF]	Solution, Ophthalmic: Generic: 0.005% (2.5 mL) [BCF]
Letrozole	Tablet, Oral: Generic: 2.5 mg	
LevETIRAcetam	Solution, Oral: Keppra: 100 mg/mL (480 mL) [dye free; grape flavor] Tablet, Oral: Keppra: 500 mg [scored; gluten free] Generic: 250 mg, 500 mg, 750 mg, 1000 mg	Solution, Oral: Generic: 100 mg/mL (480 mL) Tablet, Oral: Generic: 500 mg
LevOCARNitine	Solution, Intravenous: Generic: 200 mg/mL (5 mL)	
LevoFLOXacin (Systemic)	Tablet, Oral: Generic: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]	Tablet, Oral: Generic: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]
Levonorgestrel (Systemic)	Tablet, Oral: Plan B One-Step: 1.5 mg	Tablet, Oral: Plan B One-Step: 1.5 mg
Levothyroxine	Tablet, Oral, as sodium: Synthroid: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF] Generic: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]	Tablet, Oral, as sodium: Generic: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF]
Lidocaine (Topical)	Cream, External: LMX 4: 4% (5 g, 15 g, 30 g) [contains benzyl alcohol] Jelly, Topical, as hydrochloride: Generic: 2% (5 mL, 30 mL) Ointment, Topical: Generic: 5% (35.4 g) Patch, External: Generic: 5% (30 ea) Solution, Viscous, Oral Topical, as hydrochloride: Generic: 2% [20 mg/mL] (100 mL)	Cream, External: Generic: 4% (5 g, 15 g, 30 g) Jelly, Topical, as hydrochloride: Generic: 2% (5 mL, 30 mL) Ointment, Topical: Generic: 5% (35.4 g) Patch, External: Generic: 5% (30 ea) Solution, Viscous, Oral Topical, as hydrochloride: Generic: 2% [20 mg/mL] (100 mL)
LinaCLOtide	Capsule, Oral: Linzess: 72 mcg, 145 mcg, 290 mcg	
Liothyronine	Tablet, Oral: Cytomel: 5 mcg, 25 mcg [scored]	Tablet, Oral: Generic: 5 mcg
Lisinopril	Tablet, Oral: Generic: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]	Tablet, Oral: Generic: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]

McDonald Army Health Center Outpatient Formulary

Lisinopril and Hydrochlorothiazide	Tablet, Oral: Generic: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF] 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF] 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]	Tablet, Oral: Generic: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF] 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF] 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]
Lithium	Capsule, Oral, as carbonate: Generic: 150 mg [BCF], 300 mg [BCF] Tablet, Oral, as carbonate: Generic: 300 mg	Capsule, Oral, as carbonate: Generic: 300 mg [BCF] Tablet, Oral, as carbonate: Generic: 300 mg
Loperamide	Capsule, Oral, as hydrochloride: Generic: 2 mg [BCF] Solution, Oral, as hydrochloride: Generic: 1 mg/5 mL (118 mL)	Capsule, Oral, as hydrochloride: Generic: 2 mg [BCF]
Loratadine	Syrup, Oral: Generic: 5 mg/5 mL (120 mL) Tablet, Oral: Allergy Relief: 10 mg	Syrup, Oral: Generic: 5 mg/5 mL (120 mL) Tablet, Oral: Generic: 10 mg
LORazepam	Tablet, Oral: Generic: 0.5 mg, 1 mg	Tablet, Oral: Generic: 0.5 mg, 1 mg
Losartan	Tablet, Oral, as potassium: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]	Tablet, Oral, as potassium: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Losartan and Hydrochlorothiazide	Tablet, Oral: Generic: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [BCF] 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [BCF] 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [BCF]	Tablet, Oral: Generic: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [BCF] 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [BCF] 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [BCF]
Loteprednol	Gel, Ophthalmic, as etabonate: Lotemax: 0.5% (5 g) [contains benzalkonium chloride, edetate disodium dihydrate, propylene glycol] Suspension, ophthalmic, as etabonate [drops]: Alrex: 0.2% (5 mL) [contains benzalkonium chloride] Lotemax: 0.5% (5 mL)	
Loteprednol and Tobramycin	Suspension, Ophthalmic [drops]: Zylet: Loteprednol etabonate 0.5% and tobramycin 0.3% (5 mL) [contains benzalkonium chloride]	
Lubiprostone	Capsule, Oral: Amitiza: 8 mcg, 24 mcg	
Lurasidone	Tablet, Oral, as hydrochloride: Latuda: 20 mg, 40 mg, 60 mg, 80 mg, 120 mg	
Magnesium Hydroxide	Suspension, Oral: Milk of Magnesia: 400 mg/5 mL (360 mL)	Suspension, Oral: Milk of Magnesia: 400 mg/5 mL (360 mL)
Magnesium Oxide	Tablet, Oral: Generic: 400 mg	Tablet, Oral: Generic: 400 mg

McDonald Army Health Center Outpatient Formulary

Malathion	Lotion, External: Ovide: 0.5% (59 mL) [contains isopropyl alcohol]	
Meclizine	Tablet, Oral, as hydrochloride: Generic: 12.5 mg, 25 mg	Tablet, Oral, as hydrochloride: Generic: 12.5 mg, 25 mg
MedroxyPROGESTERone	Injection, Suspension, as acetate: Depo-Provera Contraceptive: 150 mg/mL (1 mL) [contains polysorbate 80] Tablet, Oral, as acetate: Generic: 2.5 mg [BCF], 10 mg [BCF]	Injection, Suspension, as acetate: Generic: 150 mg/mL (1 mL) Tablet, Oral, as acetate: Generic: 2.5 mg [BCF], 10 mg [BCF]
Megestrol	Suspension, Oral, as acetate: Generic: 40 mg/mL (480 mL) Tablet, Oral, as acetate: Generic: 20 mg, 40 mg	Suspension, Oral, as acetate: Generic: 40 mg/mL (480 mL)
Melatonin	Tablet, Oral [preservative free]: Generic: 3 mg, 5 mg	
Meloxicam	Tablet, Oral: Generic: 7.5 mg [BCF], 15 mg [BCF]	Tablet, Oral: Generic: 7.5 mg [BCF], 15 mg [BCF]
Memantine	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg	
Meperidine	Tablet, Oral, as hydrochloride: Generic: 50 mg	Tablet, Oral, as hydrochloride: Generic: 50 mg
Mercaptopurine	Tablet, Oral: Generic: 50 mg	Tablet, Oral: Generic: 50 mg
Mesalamine	Capsule Delayed Release, Oral: Delzicol: 400 mg Capsule Extended Release 24 Hour, Oral: Apriso: 0.375 g [contains aspartame] Suspension, Rectal: Generic: 4 g/60 mL (7s) Suppository, Rectal: Canasa: 1000 mg (30 ea, 42 ea) Tablet Delayed Release, Oral: Lialda: 1.2 g	Capsule Extended Release 24 Hour, Oral: Apriso: 0.375 g [contains aspartame] Suppository, Rectal: Canasa: 1000 mg (30 ea, 42 ea)
Metaxalone	Tablet, Oral: Generic: 800 mg	
MetFORMIN	Tablet, Oral, as hydrochloride: Generic: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF] Tablet, Extended Release, Oral, as hydrochloride: Generic: 500 mg [BCF], 750 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF] Tablet, Extended Release, Oral, as hydrochloride: Generic: 500 mg [BCF], 750 mg [BCF]
MethIMAzole	Tablet, Oral: Generic: 5 mg, 10 mg	Tablet, Oral: Generic: 5 mg, 10 mg
Methocarbamol	Tablet, Oral: Generic: 500 mg [BCF], 750 mg	Tablet, Oral: Generic: 500 mg [BCF]
Methotrexate	Tablet, Oral: Generic: 2.5 mg [BCF]	Tablet, Oral: Generic: 2.5 mg [BCF]
Methyl dopa	Tablet, Oral: Generic: 250 mg	Tablet, Oral: Generic: 250 mg

McDonald Army Health Center Outpatient Formulary

Methylphenidate	Capsule Extended Release, Oral, as hydrochloride: Metadate CD: 10 mg, 20 mg, 30 mg, 40 mg Capsule Extended Release 24 Hour, Oral, as hydrochloride: Ritalin LA: 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF] Tablet, Oral, as hydrochloride Ritalin: 5 mg, 10 mg, 20 mg Tablet Extended Release, Oral, as hydrochloride: Concerta: 18 mg [BCF], 27 mg [BCF], 36 mg [BCF], 54 mg [BCF] Ritalin SR: 20 mg	Capsule Extended Release, Oral, as hydrochloride: Generic: 10 mg Tablet, Oral, as hydrochloride: Generic: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF] Tablet, Extended Release, Oral, as hydrochloride: Generic: 18 mg [BCF], 27 mg [BCF], 36 mg [BCF], 54 mg [BCF]
MethylPREDNISolone	Tablet, Oral: Generic: 4 mg [scored] Tablet, Oral [dose-pack]: Generic: 4 mg [21s]	Tablet, Oral: Generic: 4 mg [scored] Tablet, Oral [dose-pack]: Generic: 4 mg [21s]
Metoclopramide	Solution, Oral: Generic: 5 mg/5 mL (473 mL) [BCF] Tablet, Oral: Generic: 10 mg [BCF]	Tablet, Oral: Generic: 10 mg [BCF]
MetOLazone	Tablet, Oral: Generic: 2.5 mg, 5 mg	Tablet, Oral: Generic: 2.5 mg, 5 mg
Metoprolol	Tablet, Oral, as tartrate: Generic: 25 mg [BCF], 50 mg [BCF] 100 mg [BCF] Tablet, Extended Release, Oral, as succinate [expressed as mg equivalent to tartrate]: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF]	Tablet, Oral, as tartrate: Generic: 25 mg [BCF], 50 mg [BCF] 100 mg [BCF] Tablet, Extended Release, Oral, as succinate [expressed as mg equivalent to tartrate]: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF]
MetroNIDAZOLE (Systemic)	Tablet, Oral: Generic: 250 mg [BCF], 500 mg [BCF]	Tablet, Oral: Generic: 250 mg [BCF], 500 mg [BCF]
MetroNIDAZOLE (Topical)	Cream, External: Generic: 0.75% (45 g) Gel, External: Generic: 1% (60 g) Gel, Vaginal: Generic: 0.75% (70 g) [BCF]	Cream, External: Generic: 0.75% (45 g) Gel, External: Generic: 1% (60 g) Gel, Vaginal: Generic: 0.75% (70 g) [BCF]
Miconazole (Topical)	Cream, External, as nitrate: Generic: 2% (30 g) Kit, Vaginal, as nitrate: Miconazole 3 Combo Pack: Cream, topical: 2% (9 g) and Suppository, vaginal: 200 mg (3s) Powder, External, as nitrate: Desenex: 2% (45 g)	Cream, External, as nitrate: Generic: 2% (30 g) Kit, Vaginal, as nitrate: Miconazole 3 Combo Pack: Cream, topical: 2% (9 g) and Suppository, vaginal: 200 mg (3s)
Mineral Oil	Oil, Oral: Generic: (472 mL)	
Minocycline (Systemic)	Capsule, Oral: Generic: 50 mg, 100 mg	Capsule, Oral: Generic: 50 mg, 100 mg
Mirtazapine	Tablet, Oral: Generic: 15 mg, 30 mg, 45 mg	Tablet, Oral: Generic: 15 mg, 30 mg, 45 mg
MiSOPROStol	Tablet, Oral: Generic: 200 mcg	Tablet, Oral: Generic: 200 mcg

McDonald Army Health Center Outpatient Formulary

Modafinil	Tablet, Oral: Generic: 100 mg, 200 mg	Tablet, Oral: Generic: 100 mg, 200 mg
Mometasone (Topical)	Cream, External, as furoate: Elocon: 0.1% (45 g) Generic: 0.1% (15 g) Ointment, External, as furoate: Elocon: 0.1% (45 g) Generic: 0.1% (15 g)	Cream, External, as furoate: Generic: 0.1% (15 g, 45 g)
Montelukast	Granules, Oral: Singulair: 4 mg/packet (30s) [BCF] Tablet, Oral: Generic: 10 mg Tablet Chewable, Oral: Generic: 4 mg, 5 mg	Granules, Oral: Generic: 4 mg/packet (30s) [BCF] Tablet, Oral: Generic: 10 mg Tablet Chewable, Oral: Generic: 4 mg, 5 mg
Morphine (Systemic)	Tablet, Oral, as sulfate: Generic: 15 mg, 30 mg Tablet, Extended Release, Oral, as sulfate: Generic: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF]	Tablet, Oral, as sulfate: Generic: 15 mg, 30 mg Tablet, Extended Release, Oral, as sulfate: Generic: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF]
Moxifloxacin (Ophthalmic)	Solution, Ophthalmic: Vigamox: 0.5% (3 mL)	Solution, Ophthalmic: Vigamox: 0.5% (3 mL)
Moxifloxacin (Systemic)	Tablet, Oral: Generic: 400 mg	Tablet, Oral: Generic: 400 mg
Mupirocin	Cream, External, as calcium [strength expressed as base]: Generic: 2% (15 g) Ointment, External: Generic: 2% (22 g) [BCF]	Cream, External, as calcium [strength expressed as base]: Generic: 2% (15 g) Ointment, External: Generic: 2% (22 g) [BCF]
Naftifine	Cream, External, as hydrochloride: Generic: 1% (90 g); 2% (45 g)	
Naltrexone	Tablet, Oral, as hydrochloride: Generic: 50 mg	
Naproxen	Suspension, Oral: Generic: 125 mg/5 mL (500 mL) [BCF] Tablet, Oral: Generic: 250 mg [BCF], 375 mg, 500 mg [BCF] Tablet, Oral, as sodium: Generic: 550 mg	Tablet, Oral: Generic: 250 mg [BCF], 375 mg, 500 mg [BCF] Tablet, Oral, as sodium: Generic: 550 mg
Neomycin	Tablet, Oral, as sulfate: Generic: 500 mg	
Neomycin, Polymyxin B, and Dexamethasone	Ointment, Ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g) Suspension, Ophthalmic [drops]: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL)	Ointment, Ophthalmic: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g) Suspension, Ophthalmic [drops]: Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL)
Neomycin, Polymyxin B, and Gramicidin	Solution, Ophthalmic: Generic: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]	

McDonald Army Health Center Outpatient Formulary

Neomycin, Polymyxin B, and Hydrocortisone (Otic)	Suspension, Otic: Generic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]	Suspension, Otic: Generic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]
Nepafenac	Suspension, Ophthalmic: Ilevro: 0.3% (1.7 mL, 3 mL) [contains benzalkonium chloride, edetate disodium, propylene glycol]	
Niacin	Tablet, Oral: Generic: 500 mg Tablet, Extended Release, Oral: Niaspan: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]	Tablet Extended Release, Oral: Generic: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]
Nicotine	Gum, Mouth/Throat, as polacrilex: Generic: 2 mg (110 ea) [BCF]; 4 mg (110 ea) [BCF] Patch 24 Hour, Transdermal: Generic: 7 mg/24 hr (14 ea) [BCF]; 14 mg/24 hr (14 ea) [BCF]; 21 mg/24 hr (14 ea) [BCF]	Gum, Mouth/Throat, as polacrilex: Generic: 2 mg (110 ea) [BCF]; 4 mg (110 ea) [BCF] Patch 24 Hour, Transdermal: Generic: 7 mg/24 hr (14 ea) [BCF]; 14 mg/24 hr (14 ea) [BCF]; 21 mg/24 hr (14 ea) [BCF]
NIFEdipine	Tablet Extended Release 24 Hour, Oral: Adalat CC: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF] Generic: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]	Tablet Extended Release 24 Hour, Oral: Generic: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]
Nitrofurantoin	Capsule, Oral [macrocrystal]: Generic: 50 mg [BCF], 100 mg Capsule, Oral [macrocrystal/monohydrate]: Generic: 100 mg [BCF] Suspension, Oral: Furadantin: 25 mg/5 mL (230 mL)	Capsule, Oral [macrocrystal]: Generic: 50 mg [BCF], 100 mg Capsule, Oral [macrocrystal/monohydrate]: Generic: 100 mg [BCF]
Nitroglycerin	Ointment, Transdermal: Nitro-Bid: 2% (60 g) Patch 24 Hour, Transdermal: Generic: 0.1 mg/hour (30s) [BCF]; 0.2 mg/hr (30s) [BCF]; 0.4 mg/hr (30s) [BCF] Solution, Translingual: Nitrolingual: 0.4 mg/spray (12 g) [contains ethanol 20%; 200 metered sprays] [BCF] Tablet, Sublingual: Nitrostat: 0.3 mg, 0.4 mg [BCF]	Patch 24 Hour, Transdermal: Generic: 0.2 mg/hour (30s) [BCF] Solution, Translingual: Generic: 0.4 mg/spray (12 g) [BCF] Tablet, Sublingual: Nitrostat: 0.4 mg [BCF]
Norethindrone	Tablet, Oral: Nora-BE: 0.35 mg [BCF] Ortho Micronor: 0.35 mg [BCF] Generic: 0.35 mg [BCF] Tablet, Oral, as acetate: Generic: 5 mg	Tablet, Oral: Nora-BE: 0.35 mg [BCF] Ortho Micronor: 0.35 mg [BCF] Generic: 0.35 mg [BCF] Tablet, Oral, as acetate: Generic: 5 mg
Norethindrone and Mestranol	Tablet, Oral: Norinyl 1+50: Norethindrone 1 mg and mestranol 0.05 mg [21 white tablets and 7 orange inactive tablets]	
Nortriptyline	Capsule, Oral: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]	Capsule, Oral: Generic: 10 mg [BCF], 25 mg [BCF]

McDonald Army Health Center Outpatient Formulary

Nystatin and Triamcinolone	Cream, External: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g, 30 g, 60 mg)	Cream, External: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g, 30 g, 60 g)
Nystatin (Oral)	Suspension, Mouth/Throat: Generic: 100,000 units/mL (60 mL, 473 mL) [BCF] Tablet, Oral: Generic: 500,000 units	Suspension, Mouth/Throat: Generic: 100,000 units/mL (60 mL, 473 mL) [BCF]
Nystatin (Topical)	Cream, External: Generic: 100,000 units/g (15 g) [BCF] Ointment, External: Generic: 100,000 units/g (30 g) [BCF] Powder, External: Generic: 100,000 units/g (15 g)	Cream, External: Generic: 100,000 units/g (15 g) [BCF] Ointment, External: Generic: 100,000 units/g (30 g) [BCF] Powder, External: Generic: 100,000 units/g (15 g)
Ofloxacin (Ophthalmic)	Solution, Ophthalmic: Generic: 0.3% (5 mL)	Solution, Ophthalmic: Generic: 0.3% (5 mL)
Ofloxacin (Otic)	Solution, Otic [drops]: Generic: 0.3% (5 mL)	Solution, Otic [drops]: Generic: 0.3% (5 mL)
OLANzapine	Tablet, Oral: Generic: 5 mg, 10 mg	Tablet, Oral: Generic: 5 mg, 10 mg
Olopatadine (Ophthalmic)	Solution, Ophthalmic [drops]: Patanol: 0.1% (5 mL) [contains benzalkonium chloride] [BCF]	Solution, ophthalmic [drops]: Generic: 0.1% (5 mL) [contains benzalkonium chloride] [BCF]
Omega-3 Fatty Acids	Capsule, Oral: Generic: 1000 mg	Capsule, Oral: Generic: 1000 mg
Omeprazole	Capsule, Delayed Release, Oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg Suspension, Oral: First-Omeprazole: 2 mg/mL (90 mL, 150 mL, 300 mL)	Capsule Delayed Release, Oral: Generic: 10 mg [BCF], 20 mg [BCF] Suspension, Oral: First-Omeprazole: 2 mg/mL (90 mL, 150 mL, 300 mL)
Ondansetron	Solution, Oral, as hydrochloride [strength expressed as base]: Generic: 4 mg/5 mL (50 mL) Tablet, Oral: Generic: 4 mg, 8 mg Tablet, Orally Disintegrating (ODT): Generic: 4 mg, 8 mg	Solution, Oral, as hydrochloride [strength expressed as base]: Generic: 4 mg/5 mL (50 mL) Tablet, Oral: Generic: 4 mg, 8 mg Tablet, Orally Disintegrating (ODT): Generic: 4 mg, 8 mg
Oral Rehydration Therapy	Solution, Oral: Oralyte: (1000 mL)	
Oseltamivir	Capsule, Oral, as phosphate: Tamiflu: 75 mg Suspension Reconstituted, Oral, as base: Tamiflu: 6 mg/mL (60 mL) [contains sodium benzoate; tutti frutti flavor]	
OXcarbazepine	Suspension, Oral: Generic: 300 mg/5 mL (250 mL) Tablet, Oral: Generic: 150 mg, 300 mg	Suspension, Oral: Generic: 300 mg/5 mL (250 mL) Tablet, Oral: Generic: 150 mg, 300 mg
Oxybutynin	Tablet, Oral, as chloride: Generic: 5 mg Tablet, Extended Release, Oral, as chloride: Generic: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]	Tablet, Oral: Generic: 5 mg Tablet Extended Release 24 Hour, Oral, as chloride: Generic: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

McDonald Army Health Center Outpatient Formulary

OxyCODONE	Solution, Oral, as hydrochloride: Generic: 5 mg/5 mL (500 mL) Tablet, Oral, as hydrochloride: Generic: 5 mg, 15 mg	Solution, Oral, as hydrochloride: Generic: 5 mg/5 mL (500 mL) Tablet, Oral, as hydrochloride: Generic: 5 mg, 15 mg
Oxycodone and Acetaminophen	Solution, Oral: Roxicet: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg per 5 mL (500 mL) [contains ethanol <0.5%; mint flavor] Tablet, Oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF] 10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg	Solution, Oral: Roxicet: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg per 5 mL (500 mL) Tablet, Oral: Generic: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF]
Oxymetazoline (Nasal)	Solution, Nasal, as hydrochloride: Generic: 0.05% (15 mL)	Solution, Nasal, as hydrochloride: Generic: 0.05% (15 mL)
Pancrelipase	Capsule, Delayed Release, Enteric Coated Microspheres, Oral [porcine derived]: Creon: Lipase 3000 USP units, protease 9500 USP units, and amylase 15,000 USP units [BCF] Creon: Lipase 6000 USP units, protease 19,000 USP units, and amylase 30,000 USP units [BCF] Creon: Lipase 12,000 USP units, protease 38,000 USP units, and amylase 60,000 USP units [BCF] Creon: Lipase 24,000 USP units, protease 76,000 USP units, and amylase 120,000 USP units Creon: Lipase 36,000 USP units, protease 114,000 USP units, and amylase 180,000 USP units [BCF] Capsule, Delayed Release, Enteric Coated Microtablets [porcine derived]: Pancreaze: Lipase 16,800 units, protease 40,000 units, and amylase 70,000 units [ECF]	
Pantoprazole	Tablet Delayed Release, Oral: Generic: 40 mg	Tablet Delayed Release, Oral: Generic: 40 mg
PARoxetine	Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 10 mg, 20 mg, 30 mg, 40 mg	Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 10 mg, 20 mg, 30 mg, 40 mg
Penicillin V Potassium	Solution Reconstituted, Oral: Generic: 250 mg/5 mL (200 mL) [BCF] Tablet, Oral: Generic: 250 mg, 500 mg	Solution Reconstituted, Oral: Generic: 250 mg/5 mL (200 mL) [BCF] Tablet, Oral: Generic: 250 mg, 500 mg
Pentoxifylline	Tablet Extended Release, Oral: Generic: 400 mg	Tablet Extended Release, Oral: Generic: 400 mg
Permethrin	Cream, External: Generic: 5% (60 g) [BCF] Lotion, External: Generic: 1% (60 g)	Cream, External: Generic: 5% (60 g) [BCF]
Phenazopyridine	Tablet, Oral, as hydrochloride: Generic: 100 mg [BCF], 200 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 100 mg [BCF], 200 mg [BCF]

McDonald Army Health Center Outpatient Formulary

PHENobarbital	Elixir, Oral: Generic: 20 mg/5 mL (473 mL) [BCF] Tablet, Oral: Generic: 30 mg [BCF], 32.4 mg	
Phenol	Liquid, Mouth/Throat: Sore Throat Spray: 1.4% (177 mL)	
Phenylephrine (Nasal)	Solution, Nasal, as hydrochloride: Neo-Synephrine: 0.25% (15 mL); 0.5% (15 mL)	
Phenytoin	Capsule Extended Release, Oral, as sodium: Generic: 30 mg, 100 mg [BCF] Suspension, Oral: Generic: 125 mg/5 mL (237 mL) [BCF] Tablet Chewable, Oral: Generic: 50 mg [BCF]	Capsule Extended Release, Oral, as sodium: Generic: 100 mg [BCF]
Phytonadione	Tablet, Oral: Mephyton: 5 mg [scored]	Tablet, Oral: Mephyton: 5 mg [scored]
Pilocarpine (Ophthalmic)	Solution, Ophthalmic, as hydrochloride: Generic: 2% (15 mL) [BCF]; 4% (15 mL) [BCF]	
Pimecrolimus	Cream, External: Elidel: 1% (30 g, 60 g) [BCF] [contains benzyl alcohol]	Cream, External: Elidel: 1% (30 g, 60 g) [BCF] [contains benzyl alcohol]
Pioglitazone	Tablet, Oral: Generic: 15 mg, 30 mg, 45 mg	Tablet, Oral: Generic: 15 mg, 30 mg, 45 mg
Pioglitazone and Metformin	Tablet, Oral: Generic: 15/850: Pioglitazone 15 mg and metformin hydrochloride 850 mg	Tablet, Oral: Generic: 15/850: Pioglitazone 15 mg and metformin hydrochloride 850 mg
Piroxicam (Systemic)	Capsule, Oral: Generic: 20 mg	Capsule, Oral: Generic: 20 mg
Podofilox	Solution, External: Generic: 0.5% (3.5 mL)	Solution, External: Generic: 0.5% (3.5 mL)
Polyethylene Glycol 3350	Powder, Oral: MiraLax: (238 g, 510 g)	Powder, Oral: MiraLax: (238 g, 510 g)
Polyethylene Glycol-Electrolyte Solution	Powder for Solution, Oral: Colyte: PEG 3350 240 g, sodium sulfate 22.72 g, sodium bicarbonate 6.72 g, sodium chloride 5.84 g, and potassium chloride 2.98 g (4000 mL) [supplied with cherry, citrus berry, lemon lime, orange, and pineapple flavor packs] GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [original flavor] MoviPrep: Pouch A: PEG 3350 100 g, sodium sulfate 7.5 g, sodium chloride 2.69 g, potassium chloride 1.02 g; Pouch B: Ascorbic acid 4.7 g, sodium ascorbate 5.9 g (1000 mL) [contains phenylalanine 233 mg/treatment; lemon flavor]	Powder for Solution, Oral: Colyte: PEG 3350 240 g, sodium sulfate 22.72 g, sodium bicarbonate 6.72 g, sodium chloride 5.84 g, and potassium chloride 2.98 g (4000 mL) [supplied with cherry, citrus berry, lemon lime, orange, and pineapple flavor packs] GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [original flavor] MoviPrep: Pouch A: PEG 3350 100 g, sodium sulfate 7.5 g, sodium chloride 2.69 g, potassium chloride 1.02 g; Pouch B: Ascorbic acid 4.7 g, sodium ascorbate 5.9 g (1000 mL) [contains phenylalanine 233 mg/treatment; lemon flavor]

McDonald Army Health Center Outpatient Formulary

Potassium Chloride	Solution, Oral: Generic: 20 mEq/15 mL [10%] (480 mL) [BCF] Tablet Extended Release, Oral: Generic: 8 mEq, 10 mEq [BCF], 20 mEq [BCF]	Solution, Oral: Generic: 20 mEq/15 mL [10%] (480 mL) [BCF] Tablet Extended Release, Oral: Generic: 8 mEq, 10 mEq [BCF], 20 mEq [BCF]
Potassium Citrate	Tablet Extended Release, Oral: Urocit-K 10: 10 mEq (1080 mg) Urocit-K 15: 15 mEq (1620 mg)	Tablet Extended Release, Oral: Urocit-K 10: 10 mEq (1080 mg)
Potassium Iodide	Solution, Oral: SSKI: 1 g/mL (237 mL)	
Povidone-Iodine (Topical)	Solution, External: Betadine: 10% (118 mL)	
Pramipexole	Tablet, Oral, as dihydrochloride monohydrate: Generic: 0.125 mg, 0.25 mg, 0.5 mg	Tablet, Oral, as dihydrochloride monohydrate: Generic: 0.125 mg, 0.25 mg, 0.5 mg
Pramoxine and Hydrocortisone	Aerosol, Foam, Rectal: ProctoFoam HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g) Aerosol, Foam, External: Epifoam: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g) Cream, External: Analpram HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (30 g) Pramosone: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (30 g)	Aerosol, Foam, Rectal: ProctoFoam HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g) Aerosol, Foam, External: Epifoam: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g) Cream, External: Analpram HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (30 g) Pramosone: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (30 g)
Pravastatin	Tablet, Oral, as sodium: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]	Tablet, Oral, as sodium: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Prazosin	Capsule, Oral: Generic: 1 mg, 2 mg, 5 mg	Capsule, Oral: Generic: 1 mg, 2 mg, 5 mg
PrednisolONE (Ophthalmic)	Suspension, Ophthalmic, as acetate: Generic: 1% (5 mL) [BCF]	Suspension, Ophthalmic, as acetate: Generic: 1% (5 mL) [BCF]
PrednisolONE (Systemic)	Solution, Oral, as base: Generic: 15 mg/5 mL (240 mL) Solution, Oral, as sodium phosphate [strength expressed as base]: Orapred: 15 mg/5 mL (237 mL) [dye free; contains alcohol, usp, sodium benzoate; grape flavor] Pediapred: 5 mg/5 mL (120 mL) [alcohol free, dye free, sugar free; contains edetate disodium, methylparaben; raspberry flavor]	Solution, Oral, as base: Generic: 15 mg/5 mL (240 mL) Solution, Oral, as sodium phosphate [strength expressed as base]: Pediapred: 5 mg/5 mL (120 mL) [alcohol free, dye free, sugar free; contains edetate disodium, methylparaben; raspberry flavor]
PredniSONE	Tablet, Oral: Generic: 1 mg [BCF], 2.5 mg, 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 50 mg	Tablet, Oral: Generic: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 50 mg
Pregabalin	Capsule, Oral: Generic: 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg, 225 mg, 300 mg	
Primaquine	Tablet, Oral, as phosphate: Generic: 26.3 mg [15 mg base]	Tablet, Oral, as phosphate: Generic: 26.3 mg [15 mg base]
Primidone	Tablet, Oral: Generic: 50 mg	Tablet, Oral: Generic: 50 mg

McDonald Army Health Center Outpatient Formulary

Probenecid	Tablet, Oral: Generic: 500 mg [BCF]	
Prochlorperazine	Suppository, Rectal: Generic: 25 mg (12 ea) Tablet, Oral, as maleate [strength expressed as base]: Generic: 5 mg	Tablet, Oral, as maleate [strength expressed as base]: Generic: 5 mg
Promethazine	Suppository, Rectal, as hydrochloride: Generic: 12.5 mg (12s) [BCF]; 25 mg (12s) [BCF] Tablet, Oral, as hydrochloride: Generic: 25 mg [BCF]	Suppository, Rectal, as hydrochloride: Generic: 25 mg (12s) [BCF] Tablet, Oral, as hydrochloride: Generic: 25 mg [BCF]
Propranolol	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Generic: 60 mg, 80 mg, 120 mg Tablet, Oral, as hydrochloride: Generic: 10 mg, 20 mg, 40 mg	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Generic: 60 mg, 80 mg, 120 mg Tablet, Oral, as hydrochloride: Generic: 10 mg, 20 mg, 40 mg
Propylthiouracil	Tablet, Oral: Generic: 50 mg [BCF]	
Pseudoephedrine	Liquid, Oral, as hydrochloride: Children's Nasal Decongestant: 30 mg/5 mL (118 mL) [contains sodium benzoate; raspberry flavor] Tablet, Oral, as hydrochloride: SudoGest: 30 mg, 60 mg [scored]	Liquid, Oral, as hydrochloride: Children's Nasal Decongestant: 30 mg/5 mL (118 mL) [contains sodium benzoate; raspberry flavor] Tablet, Oral, as hydrochloride: SudoGest: 30 mg
Psyllium	Powder, Oral: Konsyl-D: (397 g) [contains calcium, dextrose, potassium, sodium]	
Pyrantel Pamoate	Tablet, Chewable, Oral, as pamoate: Pin-X: 720.5 mg [scored; contains aspartame; equivalent to pyrantel base 250 mg]	
Pyrazinamide	Tablet, Oral: Generic: 500 mg [BCF]	
Pyridoxine	Tablet, Oral, as hydrochloride: Generic: 25 mg, 50 mg	Tablet, Oral, as hydrochloride: Generic: 25 mg, 50 mg
QUetiapine	Tablet, Oral: SEROquel: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, Extended Release, oral: SEROquel XR: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]	Tablet, Oral: SEROquel: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF] Tablet, Extended Release, Oral: SEROquel XR: 50 mg [BCF]
RABEprazole	Tablet Delayed Release, Oral, as sodium: Generic: 20 mg	
Raloxifene	Tablet, Oral, as hydrochloride: Evista: 60 mg [BCF] Generic: 60 mg [BCF]	Tablet, Oral, as hydrochloride: Evista: 60 mg [BCF] Generic: 60 mg [BCF]
Ramipril	Capsule, Oral: Generic: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]	Capsule, Oral: Generic: 5 mg [BCF], 10 mg [BCF]

McDonald Army Health Center Outpatient Formulary

RaNITidine (Withdrawn From US Market)	Syrup, Oral: Zantac: 15 mg/mL (480 mL) [contains ethanol 7.5%; peppermint flavor] [BCF] Generic: 15 mg/mL (480 mL) [BCF] Tablet, Oral: Generic: 150 mg [BCF]	Syrup, Oral: Zantac: 15 mg/mL (480 mL) [contains ethanol 7.5%; peppermint flavor] [BCF] Generic: 15 mg/mL (480 mL) [BCF] Tablet, Oral: Generic: 150 mg [BCF]
Ranolazine	Tablet Extended Release 12 Hour, Oral: Ranexa: 500 mg	
RifAMPin	Capsule, Oral: Rifadin: 300 mg [BCF] Generic: 300 mg [BCF]	Capsule, Oral: Rifadin: 300 mg [BCF] Generic: 300 mg [BCF]
RisperiDONE	Tablet, Oral: Generic: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF]	Tablet, Oral: Generic: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF]
Rivaroxaban	Tablet, Oral: Xarelto: 10 mg, 15 mg, 20 mg	Tablet, Oral: Xarelto: 15 mg, 20 mg
Rizatriptan	Tablet, Oral: Maxalt: 5 mg [BCF], 10 mg [BCF] Generic: 5 mg [BCF], 10 mg [BCF] Tablet Dispersible, Oral: Maxalt-MLT: 5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF] Maxalt-MLT: 10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]	Tablet, Oral: Maxalt: 5 mg [BCF], 10 mg [BCF] Generic: 5 mg [BCF], 10 mg [BCF] Tablet Dispersible, Oral: Maxalt-MLT: 5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF] Maxalt-MLT: 10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]
Roflumilast	Tablet, Oral: Daliresp: 500 mcg	
ROPINIRole	Tablet, Oral: Generic: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg	Tablet, Oral: Generic: 0.5 mg, 1 mg
Rosuvastatin	Tablet, Oral: Generic: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]	Tablet, Oral: Generic: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
Salicylic Acid	Gel, External: Compound W Max Strength: 17.5% (7 g) [contains alcohol 67.5% v/v] Keralyt: 6% (40 g) [contains ethanol 21%] Pad, External: Mediplast: 40% (1 ea) Shampoo, External: Generic: 6% (177 mL) Solution, External: Duofilm: 17% (9.8 mL)	Solution, External: Duofilm: 17% (9.8 mL)
Salmeterol	Aerosol Powder Breath Activated, Inhalation: Serevent Diskus: 50 mcg (60s) [contains lactose] [BCF]	Aerosol Powder Breath Activated, Inhalation Serevent Diskus: 50 mcg (60s) [contains lactose] [BCF]
Salsalate	Tablet, Oral: Generic: 750 mg [BCF]	Tablet, Oral: Generic: 750 mg [BCF]
Scopolamine	Patch 72 Hour, Transdermal: Transderm-Scop: 1.5 mg (4s) [contains metal; releases ~1 mg over 72 hours]	Patch 72 Hour, Transdermal: Transderm-Scop: 1.5 mg (4s) [contains metal; releases ~1 mg over 72 hours]
Selenium Sulfide	Lotion, External: Generic: 2.5% (120 mL) [BCF]	Lotion, External: Generic: 2.5% (120 mL) [BCF]
Senna	Tablet, Oral: Generic: 8.6 mg	Tablet, Oral: Generic: 8.6 mg

McDonald Army Health Center Outpatient Formulary

Sertraline	Concentrate, Oral: Generic: 20 mg/mL (60 mL) [BCF] Tablet, Oral: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]	Tablet, Oral: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Sevelamer	Tablet, Oral, as carbonate: Renvela: 800 mg	Tablet, Oral, as carbonate: Renvela: 800 mg
Sildenafil	Tablet, Oral: Viagra: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]	Tablet, Oral: Viagra: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Silver Sulfadiazine	Cream, External: Generic: 1% (20 g, 85 g) [BCF]	Cream, External: Generic: 1% (20 g, 85 g) [BCF]
Simethicone	Suspension, Oral: Generic: 40 mg/0.6 mL (30 mL) Tablet Chewable, Oral: Generic: 80 mg	Suspension, Oral: Generic: 40 mg/0.6 mL (30 mL) Tablet Chewable, Oral: Generic: 80 mg
Simvastatin	Tablet, Oral: Generic: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg	Tablet, Oral: Generic: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg
SITagliptin	Tablet, Oral: Januvia: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]	Tablet, Oral: Januvia: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Sitagliptin and Metformin	Tablet, Oral: Janumet 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Tablet, Extended Release, Oral: Janumet XR: 50/500: Sitagliptin 50 mg [immediate release] and metformin hydrochloride 500 mg [extended release] [BCF] Janumet XR: 50/1000: Sitagliptin 50 mg [immediate release] and metformin hydrochloride 1000 mg [extended release] [BCF] Janumet XR: 100/1000: Sitagliptin 100 [immediate release] mg and metformin hydrochloride 1000 mg [extended release] [BCF]	Tablet, Oral: Janumet 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Tablet, Extended Release, Oral: Janumet XR: 50/1000: Sitagliptin 50 mg [immediate release] and metformin hydrochloride 1000 mg [extended release] [BCF]
Sodium Bicarbonate	Tablet, Oral: Generic: 650 mg [7.6 mEq]	Tablet, Oral: Generic: 650 mg [7.6 mEq]

McDonald Army Health Center Outpatient Formulary

Sodium Chloride	Nebulization Solution, Inhalation [preservative free]: Generic: 3% (4 mL) Ointment, Ophthalmic [preservative free]: Muro 128: 5% (3.5 g) Packet, nasal [preservative free]: AYR Saline Nasal Rinse: 1.57 g (50 ea/kit, 100 ea/refill) [iodine free] Solution, Nasal [spray]: Deep Sea: 0.65% (44 mL) [contains benzalkonium chloride, benzyl alcohol] Solution, Ophthalmic [drops]: Muro 128: 5% (15 mL)	Ointment, Ophthalmic [preservative free]: Muro 128: 5% (3.5 g) Packet, nasal [preservative free]: AYR Saline Nasal Rinse: 1.57 g (50 ea/kit, 100 ea/refill) [iodine free] Solution, Nasal [spray]: Deep Sea: 0.65% (44 mL) [contains benzalkonium chloride, benzyl alcohol] Solution, Ophthalmic [drops]: Muro 128: 5% (15 mL)
Sodium Phosphates	Solution, Rectal [enema]: Fleet Enema: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL) [contains sodium 4.4 g/118 mL] Fleet Pedia-Lax Enema: Monobasic sodium phosphate monohydrate 9.5 g and dibasic sodium phosphate heptahydrate 3.5 g per 59 mL delivered dose (66 mL) [contains sodium 2.2 g/59 mL]	Solution, Rectal [enema]: Fleet Enema: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL) [contains sodium 4.4 g/118 mL] Fleet Pedia-Lax Enema: Monobasic sodium phosphate monohydrate 9.5 g and dibasic sodium phosphate heptahydrate 3.5 g per 59 mL delivered dose (66 mL) [contains sodium 2.2 g/59 mL]
Sodium Polystyrene Sulfonate	Suspension, Oral: SPS: 15 g/60 mL (60 mL) [contains ethanol 0.3%, propylene glycol, sodium 1500 mg (65 mEq)/60 mL, sorbitol; cherry flavor]	
Sotalol	Tablet, Oral, as hydrochloride: Generic: 80 mg	Tablet, Oral, as hydrochloride: Generic: 80 mg
Spironolactone	Tablet, Oral: Generic: 25 mg [BCF], 50 mg, 100 mg	Tablet, Oral: Generic: 25 mg [BCF], 100 mg
Sucralfate	Suspension, Oral: Carafate: 1 g/10 mL (420 mL) Tablet, Oral: Generic: 1 g	Suspension, Oral: Carafate: 1 g/10 mL (420 mL) Tablet, Oral: Generic: 1 g
Sulfacetamide and Prednisolone	Suspension, Ophthalmic: Blephamide: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (5 mL) [contains benzalkonium chloride]	
Sulfacetamide (Ophthalmic)	Solution, Ophthalmic, as sodium: Generic: 10% (15 mL) [BCF]	Solution, Ophthalmic, as sodium: Generic: 10% (15 mL) [BCF]
Sulfamethoxazole and Trimethoprim	Suspension, Oral: Generic: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (473 mL) [BCF] Tablet, Oral: Generic: Sulfamethoxazole 400 mg and trimethoprim 80 mg [BCF]; Sulamethoxazole 800 mg and trimethoprim 160 mg [BCF]	Suspension, Oral: Generic: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (473 mL) [BCF] Tablet, Oral: Generic: Sulamethoxazole 800 mg and trimethoprim 160 mg [BCF]
SulfaSALazine	Tablet, Oral: Generic: 500 mg [BCF] Tablet Delayed Release, Oral: Generic: 500 mg [BCF]	Tablet, Oral: Generic: 500 mg [BCF]

McDonald Army Health Center Outpatient Formulary

Sulfur and Salicylic Acid	Shampoo, External: Sebex: Sulfur 2% and salicylic acid 2% (118 mL)	
Sulindac	Tablet, Oral: Generic: 200 mg	Tablet, Oral: Generic: 200 mg
SUMatriptan	Solution, Nasal: Generic: 5 mg/actuation (1 ea), 20 mg/actuation (1 ea) Solution, Subcutaneous, as succinate [strength expressed as base]: Generic: 6 mg/0.5 mL (0.5 mL) [BCF] Tablet, Oral, as succinate [strength expressed as base]: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]	Solution, Nasal: Generic: 20 mg/actuation (1 ea) Solution, Subcutaneous, as succinate [strength expressed as base]: Generic: 6 mg/0.5 mL (0.5 mL) [BCF] Tablet, Oral, as succinate [strength expressed as base]: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Surgical Lubricant	Gel, External: Surgilube: (120.49 g)	
Tacrolimus (Topical)	Ointment, External: Protopic: 0.03% (60 g); 0.1% (30 g)	Ointment, External: Protopic: 0.03% (60 g)
Tamoxifen	Tablet, Oral: Generic: 10 mg [BCF], 20 mg [BCF]	Tablet, Oral: Generic: 20 mg [BCF]
Tamsulosin	Capsule, Oral, as hydrochloride: Generic: 0.4 mg [BCF]	Capsule, Oral, as hydrochloride: Generic: 0.4 mg [BCF]
Telmisartan	Tablet, Oral: Generic: 20 mg, 40 mg, 80 mg	Tablet, Oral: Generic: 20 mg, 40 mg, 80 mg
Telmisartan and Hydrochlorothiazide	Tablet, Oral: Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg	Tablet, Oral: Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg
Temazepam	Capsule, Oral: Generic: 15 mg [BCF], 30 mg [BCF]	Capsule, Oral: Generic: 15 mg [BCF], 30 mg [BCF]
Terazosin	Capsule, Oral: Generic: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]	Capsule, Oral: Generic: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Terbinafine (Systemic)	Tablet, Oral: Generic: 250 mg	Tablet, Oral: Generic: 250 mg
Terbinafine (Topical)	Cream, External, as hydrochloride: Generic: 1% (30 g)	Cream, External, as hydrochloride: Generic: 1% (30 g)
Terbutaline	Tablet, Oral, as sulfate: Generic: 5 mg	
Terconazole	Cream, Vaginal: Generic: 0.8% (20 g)	Cream, Vaginal: Generic: 0.8% (20 g)
Testosterone	Gel, External: Fortesta: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF] Injection, Oil, as cypionate: Depo-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol, benzyl benzoate, cottonseed oil]	Gel, topical: Fortesta: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF] Injection, oil, as cypionate: Depo-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol, benzyl benzoate, cottonseed oil]
Tetracycline (Systemic)	Capsule, Oral, as hydrochloride: Generic: 250 mg [BCF]	

McDonald Army Health Center Outpatient Formulary

Theophylline	Tablet Extended Release 12 Hour, Oral: Generic: 200 mg [BCF], 300 mg [BCF]	Tablet Extended Release 12 Hour, Oral: Generic: 300 mg [BCF]
Thiamine	Tablet, Oral, as hydrochloride: Generic: 100 mg	
Timolol (Ophthalmic)	Gel Forming Solution, Ophthalmic, as maleate [strength expressed as base]: Timolol GFS: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF] Solution, Ophthalmic, as maleate [strength expressed as base]: Generic: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF]	Gel Forming Solution, Ophthalmic, as maleate [strength expressed as base]: Timolol GFS: 0.5% (5 mL) [BCF] Solution, Ophthalmic, as maleate [strength expressed as base]: Generic: 0.5% (5 mL) [BCF]
Tiotropium	Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g) [BCF]; 2.5 mcg/actuation (4 g) [BCF] [contains benzalkonium chloride, disodium edta] Capsule, Inhalation: Spiriva HandiHaler: 18 mcg [contains milk protein] [BCF]	Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g) [BCF]; 2.5 mcg/actuation (4 g) [BCF] [contains benzalkonium chloride, disodium edta] Capsule, Inhalation: Spiriva HandiHaler: 18 mcg [contains milk protein] [BCF]
Tiotropium and Olodaterol	Aerosol Solution, Inhalation: Stiolto Respimat: Tiotropium 2.5 mcg and olodaterol 2.5 mcg per actuation (4 g) [contains benzalkonium chloride, edetate disodium]	
TiZANidine	Tablet, Oral: Generic: 2 mg, 4 mg	Tablet, Oral: Generic: 2 mg, 4 mg
Tobramycin and Dexamethasone	Suspension, Ophthalmic: TobraDex ST: Tobramycin 0.3% and dexamethasone 0.05% (5 mL) [contains benzalkonium chloride] Generic: Tobramycin 0.3% and dexamethasone 0.1% (5 mL)	Suspension, Ophthalmic: Generic: Tobramycin 0.3% and dexamethasone 0.1% (5 mL)
Tobramycin (Ophthalmic)	Ointment, Ophthalmic: Tobrex: 0.3% (3.5 g) [contains chlorobutanol] Solution, Ophthalmic: Generic: 0.3% (5 mL)	
Tolterodine	Capsule Extended Release 24 Hour, Oral, as tartrate: Detrol LA: 2 mg [BCF], 4 mg [BCF] Generic: 2 mg [BCF], 4 mg [BCF]	Capsule Extended Release 24 Hour, Oral, as tartrate: Detrol LA: 2 mg [BCF], 4 mg [BCF] Generic: 2 mg [BCF], 4 mg [BCF]
Topiramate	Capsule Sprinkle, Oral: Topamax: 15 mg, 25 mg Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg, 200 mg	Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg, 200 mg
Torseimide	Tablet, Oral: Generic: 5 mg, 10 mg, 20 mg, 100 mg	
TraMADol	Tablet, Oral, as hydrochloride: Generic: 50 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 50 mg [BCF]
TraZODone	Tablet, Oral, as hydrochloride: Generic: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF]

McDonald Army Health Center Outpatient Formulary

Tretinoin (Topical)	Cream, External: Avita: 0.025% (20 g) [BCF] Retin-A: 0.05% (20 g) [BCF]; 0.1% (20 g) Gel, External: Generic: 0.025% (15 g)	Cream, External: Generic: 0.025% (20 g) [BCF]; 0.05% (20 g) [BCF]; 0.1% (20 g) Gel, External: Generic: 0.025% (15 g)
Triamcinolone (Topical)	Aerosol Solution, External, as acetone: Kenalog: 0.2 mg/2-second spray (63 g) [contains dehydrated ethanol 10.3%] Cream, External, as acetone: Generic: 0.025% (15 g); 0.1% (15 g, 80 g, 454 g) [BCF], 0.5% (15 g) Ointment, External, as acetone: Generic: 0.1% (15 g, 80 g, 454 g) [BCF] Paste, Mouth/Throat, as acetone: Generic: 0.1% (5 g)	Cream, External, as acetone: Generic: 0.1% (15 g, 80 g, 454 g) [BCF]; 0.5% (15 g) Ointment, External, as acetone: Generic: 0.1% (15 g, 80 g, 454 g)[BCF] Paste, Mouth/Throat, as acetone: Generic: 0.1% (5 g)
Trihexyphenidyl	Tablet, Oral, as hydrochloride: Generic: 2 mg [BCF]	
Trimethoprim	Tablet, Oral: Generic: 100 mg	Tablet, Oral: Generic: 100 mg
Trimethoprim and Polymyxin B	Solution, Ophthalmic: Generic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [BCF]	Solution, Ophthalmic: Generic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [BCF]
Tripolidine and Pseudoephedrine	Tablet, Oral: Aprodine: Tripolidine hydrochloride 2.5 mg and pseudoephedrine hydrochloride 60 mg [scored] (24s)	
Ulipristal	Tablet, Oral, as acetate: Ella: 30 mg [BCF]	
Urea (Topical)	Cream, External: X-Viate: 40% (29 g)	
Ursodiol	Tablet, Oral: Generic: 250 mg	
ValACYclovir	Caplet, Oral: Generic: 500 mg, 1 g	Caplet, Oral: Generic: 500 mg, 1 g
Valproic Acid and Derivatives	Capsule Sprinkle, Oral, as divalproex sodium: Depakote Sprinkle: 125 mg [BCF] Syrup, Oral, as valproate sodium: Generic: 250 mg/5 mL (473 mL) [strength expressed as valproic acid] Tablet Delayed Release, Oral, as divalproex sodium: Depakote: 125 mg [BCF], 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid] Generic: 125 mg [BCF], 250 mg [BCF], 500 mg [BCF] Tablet Extended Release 24 Hour, Oral, as divalproex sodium: Depakote ER: 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid] Generic: 250 mg [BCF], 500 mg [BCF]	Tablet, Delayed Release, Oral, as divalproex sodium: Generic: 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid] Tablet Extended Release 24 Hour, Oral, as divalproex sodium: Generic: 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid]

McDonald Army Health Center Outpatient Formulary

Valsartan	Tablet, Oral: Diovan: 40 mg [scored] [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF] Generic: 40 mg [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]	Tablet, Oral: Diovan: 40 mg [scored] [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF] Generic: 40 mg [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]
Valsartan and Hydrochlorothiazide	Tablet, Oral: Diovan HCT: 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF] Diovan HCT: 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]	Tablet, Oral: Diovan HCT: 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF] Diovan HCT: 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]
Venlafaxine	Capsule Extended Release 24 Hour, Oral: Generic: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF]	Capsule Extended Release 24 Hour, Oral: Generic: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF]
Verapamil	Tablet, Oral, as hydrochloride: Generic: 80 mg, 120 mg Tablet, Extended Release, Oral, as hydrochloride: Generic: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF]	Tablet, Oral, as hydrochloride: Generic: 80 mg Tablet, Extended Release, Oral, as hydrochloride: Generic: 180 mg [BCF], 240 mg [BCF]
Vitamin D	Capsule, Oral: Generic: 50,000 units [1.25 mg]	Capsule, Oral: Generic: 50,000 units [1.25 mg]
Vitamin B Complex Combinations	Content varies depending on product used. For more detailed information on ingredients in these and other multivitamins, please refer to specific product labeling. Renal Caps	Content varies depending on product used. For more detailed information on ingredients in these and other multivitamins, please refer to specific product labeling. Renal Caps
Vitamin E (Systemic)	Capsule, Oral: Generic: 200 units, 400 units	Capsule, Oral: Generic: 200 units, 400 units
Vitamins (Multiple/Oral)	Content varies depending on product used. Softgel: Renal Caps: Biotin 150 mcg, folic acid 1 mg, niacinamide 20 mg, pantothenic acid 5 mg	Content varies depending on product used. Softgel: Renal Caps: Biotin 150 mcg, folic acid 1 mg, niacinamide 20 mg, pantothenic acid 5 mg
Vitamins (Multiple/Pediatric)	Content varies depending on product used. Solution, Oral: Poly-Vitamin: 35 mg/mL (50 mL) Poly-Vi-Sol/Iron: 50 mL Tri-Vit/Fluoride: 0.25 mg/mL (50 mL)	Content varies depending on product used. Solution, Oral: Poly-Vitamin: 35 mg/mL (50 mL)
Vitamins (Multiple/Prenatal)	Content varies depending on product used. Tablet, Oral: Prenatal Plus: Fe Fumarate 27 mg / Fe 1 mg	Content varies depending on product used. Tablet, Oral: Prenatal Plus: Fe Fumarate 27 mg / Fe 1 mg
Warfarin	Tablet, Oral, as sodium: Coumadin: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]	Tablet, Oral, as sodium: Coumadin: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF]
White Petrolatum	Gel, External: Generic: (368 g)	
Witch Hazel	Pad, External: Generic: 50% (40 ea)	

McDonald Army Health Center Outpatient Formulary

Zinc Oxide	Ointment, External: Generic: 20% (30 g)	Ointment, External: Generic: 20% (30 g)
Ziprasidone	Capsule, Oral, as hydrochloride: Generic: 20 mg, 40 mg, 60 mg, 80 mg	Capsule, Oral, as hydrochloride: Generic: 40 mg
ZOLMitriptan	Tablet, Oral: Generic: 2.5 mg, 5 mg Tablet Dispersible, Oral: Generic: 2.5 mg, 5 mg	Tablet, Oral: Generic: 2.5 mg
Zolpidem	Tablet, Oral, as tartrate: Generic: 5 mg [BCF], 10 mg [BCF] Tablet, Extended Release, Oral, as tartrate: Generic: 6.25 mg, 12.5 mg	Tablet, Oral, as tartrate: Generic: 5 mg [BCF], 10 mg [BCF] Tablet, Extended Release, Oral, as tartrate: Generic: 6.25 mg
Zonisamide	Capsule, Oral: Generic: 25 mg, 50 mg, 100 mg	Capsule, Oral: Generic: 25 mg, 100 mg